


pendulum

loommo




FOUCAULT'S PENDULUM EXPERIMENT TO SHOW

PENDULUMS.



THE EARTH'S AXIAL ROTATION.








The timeless play of balance and energy

Although inspired by Newton's cradle, demonstrating the conservation of momentum and energy, this glass version should be handled with care. The playful and highly variable collection provides space for your own creativity. Physics, aesthetics and craft all come together to remind us that everything is in perpetual motion.

Design by Studio deFORM



loommo





loommo













light grey, dark red black fitting

light grey, flamingo pink white fitting

pigeon blue, dark red, light grey black fitting



Glass options: dark red, light grey, flamingo pink, pigeon blue


Fitting options: black, white

loommo

technical informations

pendant 2 position

Design by Studio deFORM



All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft.

The Pendulum Collection is made by underlying colored glass technology. Thanks to the manual process of blowing underlay glass, each piece is an original. Individual products may vary slightly in intensity, hue or even color. This is an accompanying characteristic of the traditional underlay glass technology.

LIGHTING DESCRIPTION


Size	420 × 190 × 210 mm
	16,3 x 7,5 x 8,3 inch
Cable	black, white 2,5 m / 98,4 inch
Weigh	3 kg / 6,6 lb
Material	clear glass, underlay color glass
Mounting	black, white powder coating
Protection	IP 20
Nominal voltage	220-230V A.C. 50 hz (EU)
	100-110 V A.C. 60 Hz (USA)
Class	I. EU / I. USA

LIGHT SOURCE 2x

Туре	G45, 4W LED, 320 lm
Base	E14 (EU) / E12 (USA)
Voltage	200-240V, AC / 100-140V, AC
Temperature	2700 K
Color index	RA 90+
Dimmable	YES

PACKAGING

Material	Cardboard
Size	590 × 290 × 300 mm
	23,2 × 11,4 × 11,8 inch



pendant 3 position

Design by Studio deFORM



All Bomma products are hand-made from mouth-blown lead-free crystal. Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft.

The Pendulum Collection is made by underlying colored glass technology. Thanks to the manual process of blowing underlay glass, each piece is an original. Individual products may vary slightly in intensity, hue or even color. This is an accompanying characteristic of the traditional underlay glass technology.

LIGHTING DESCRIPTION

Size	605 × 190 × 220 mm
	23,6 × 7,5 × 3,9 inch
Cable	black, white 2,5 m / 98,4 inch
Weigh	4,4 kg / 9,7 lb
Material	clear glass, underlay color glass
Mounting	black, white powder coating
Protection	IP 20
Nominal voltage	220-230V A.C. 50 hz (EU)
	100-110 V A.C. 60 Hz (USA)
Class	I. EU / I. USA

LIGHT SOURCE 3x

Туре	G45, 4W LED, 320 lm
Base	E14 (EU) / E12 (USA)
Voltage	200-240V, AC / 100-140V, AC
Temperature	2700 K
Color index	RA 90+
Dimmable	YES

PACKAGING

Material	Cardboard
Size	875 × 290 × 300 mm
	34,4 × 11,4 × 11,8 inch




pendant 5 position

Design by Studio deFORM All Bomma products are hand-made from mouth-blown lead-free crystal.

Therefore any small bubbles, non-melts and irregularities in the glass are both proof and a characteristic feature of this traditional craft.

The Pendulum Collection is made by underlying colored glass technology. Thanks to the manual process of blowing underlay glass, each piece is an original. Individual products may vary slightly in intensity, hue or even color. This is an accompanying characteristic of the traditional underlay glass technology.

Ø116 mm



970 mm

LIGHTING DESCRIPTION

Size	970 × 190 × 240 mm
	38 × 7,5 × 9,4 inch
Cable	black, white 2,5 m / 98,4 inch
Weigh	7,2 kg / 15,8 lb
Material	clear glass, underlay color glass
Mounting	black, white powder coating
Protection	IP 20
Nominal voltage	220-230V A.C. 50 hz (EU)
	100-110 V A.C. 60 Hz (USA)
Class	I. (EU) / I. (USA)

LIGHT SOURCE 5x

Туре	G45, 4W LED, 320 lm
Base	E14 (EU) / E12 (USA)
Voltage	200-240V, AC / 100-140V, AC
Temperature	2700 K
Color index	RA 90+
Dimmable	YES

PACKAGING

Material	Cardboard
Size	1455 × 290 × 300 mm
	57 × 11,4 × 11,8 inch

Bohemia Machine s.r.o. Zámecká 1177 582 91 Světlá nad Sázavou Czech Republic

info@bomma.cz

step beyond