



20206.03



20206.04



20206.10

# SUBLIM

The Elegance of Geometry



Let's get brighter



Let's get brighter



# SUBLIM

FAMILY

## GENERAL DETAILS

REFERENCE:	20206.03   20206.04   20206.10
INSTALLATION:	Pendant
EXTERNAL FINISH:	White · Black
MATERIAL:	Aluminium
IP EXTERIOR:	IP20
FORM:	Round
LIGHT DIRECTION:	Fixed
REGULATION:	1..10V · Push · DALI · Phase Cut
UTILIZATION:	Indoor
WARRANTY:	5 years


## GENERAL DIMENSIONS

	20206.03 : 39 X 39 X 270 mm.
	20206.04 : 39 X 39 X 400 mm.
	20206.03 : 39 X 39 X 1000 mm.
MAXIMUM CABLE LENGTH	3000 mm
MINIMUM DISTANCE TO ILLUMINATED OBJECT:	0.5 m

## ELECTRICAL DETAILS

LAMP:	LED
LED TYPE:	BRIDGELUX
PROTECTION CLASS:	⏏
ENERGETIC EFFICIENCY:	A+
DRIVER:	Included ( remote if dimmable )
I:	350 mA
VOLTAGE:	220 - 240 V
LIFE TIME:	50.000 h
LUMEN MAINTENANCE:	L80_B10 / 50000 h
CRI:	93
MACADAM:	<3

## ENERGY LABEL





Let's get brighter


# SUBLIM

FAMILY

### ELECTRICAL DETAILS

POWER	
WATTS:	9 W
EFFICIENCY	
EFF 2700K:	62 lm/w
EFF 3000K:	62 lm/w
EFF 4000K:	68 lm/w
LUMENS	
2700K lm:	469 lm
3000K lm:	482 lm
4000K lm:	495.3 lm

### MEASURES (mm.)



### ENERGY LABEL

**BPM Lighting** SUBLIM

The luminaire contains built-in LED lamps.

**A++**  
**A+**  
**A**  
**B**  
**C**  
**D**  
**E**

LED

The LED-lamps cannot be changed in the luminaire.

874/2012

20206.03

20206.04

20206.10