

MALTA

Handrail system |



LIGMAN

AULIX lighting

návrhy osvětlení a prodej svítidel
inteligentní systémy, vypínače

SVĚTELNÉ STUDIO

Náměstí Na Sádkách 705
252 41 Dolní Břežany (Praha západ)

Telefon: +420 246 083 152

Mobil.: +420 702 061 783

E-mail: studio@aulix.cz

Web: www.aulix.cz

E-shop: <http://obchod.aulix.cz>

Sledujte nás také na sociálních sítích:



MALTA

Handrail system



Sleek exterior stainless steel or aluminium illuminated handrail system with concealed continuous downward light distribution.



Luminaire colour code

-01	-02	-03	-05	-06
Black	Dark Grey	White	Matt Silver	Bronze
RAL 9011	RAL 7043	RAL 9003	RAL 9006	RAL 6014



Luminaire structure

- Aluminium or stainless steel body
- Single cable entry
- Stainless steel fasteners in grade 316
- High-efficiency PMMA lens opal
- Remote driver is included
- Standard unit length is 1 m, different lengths are available upon request
- LIGMAN prepares project handrail solutions according to layout drawings, elevations and project's brief, offering an end-to-end solution from concept through to implementation
- All handrails and components are delivered completely pre-assembled for on-site installation

Feature symbols



Light symbols



G

MALTA Handrail system

Product code guide

MAT-30001 - 8030 - DI - 00 - A32791-PW





CRI & CCT
Dim Type
Luminaire colour
Accessory





Colour Rendering Index & Colour Temperature
 8030 – 3000K CRI80
 8040 – 4000K CRI80
 8057 – 5700K CRI80
 40 – RGBW 4000K
 TUV – Tunable white 2700K - 6500K







Dimming Type
 ND – Non dimmable
 DA – DALI dimming

Luminaire colour
 00 – Stainless Steel
 01 – Black
 02 – Dark Grey
 03 – White
 05 – Matt Silver
 06 – Bronze

Product code	Lamp	Power	Lumen	EEC	Weight	Optic	CRI & CCT	Dimming type	
						G			
Stainless steel - IP65									
MALTA 1	MAT-30001	120 LED	9 W	824 lm	A+	3.5 kg	120°	8030 8040 8057	ND
Stainless steel - IP65 - Tunable white									
MALTA 1	MAT-30002	84 LED	12 W	864 lm	A+	3.5 kg	120°	TUV	DA
Stainless steel - IP65 - RGBW									
MALTA 1	MAT-30003	84 LED	15 W	495 lm	A+	3.5 kg	120°	40	DMX
Stainless steel - IP20									
MALTA 2	MAT-30011	120 LED	9 W	824 lm	A+	3.5 kg	120°	8030 8040 8057	ND
Aluminium - IP65									
MALTA 3	MAT-30021	84 LED	15 W	824 lm	A+	2.1 kg	120°	8030 8040 8057	ND
Aluminium - IP65 - Tunable white									
MALTA 3	MAT-30022	120 LED	9 W	864 lm	A+	2.1 kg	120°	TUV	DA
Aluminium - IP65 - RGBW									
MALTA 3	MAT-30023	84 LED	12 W	495 lm	A+	2.1 kg	120°	40	DMX
Aluminium - IP20 - Tunable white									
MALTA 4	MAT-30031	120 LED	9 W	864 lm	A+	2.1 kg	120°	TUV	DA


				
	Driver PWM - 50W - IP20 - Constant voltage - 24V	Driver PWM - 100W - IP20 - Constant voltage - 24V	Driver PWM - 150W - IP20 - Constant voltage - 24V	Driver PWM - 200W - IP20 - Constant voltage - 24V
	A32791-PW	A32891-PW	A32991-PW	A33091-PW
MAT-30001	•	•	•	•
MAT-30002	•	•	•	•
MAT-30003	•	•	•	•
MAT-30011	•	•	•	•
MAT-30021	•	•	•	•
MAT-30022	•	•	•	•
MAT-30023	•	•	•	•
MAT-30031	•	•	•	•

				
	Driver PWM - 100W - IP65 - Constant voltage - 24V	Driver PWM - 150W - IP65 - Constant voltage - 24V	Driver PWM - 250W - IP65 - Constant voltage - 24V	Driver PWM - 320W - IP65 - Constant voltage - 24V
	A33191-PW	A33291-PW	A33391-PW	A33491-PW
MAT-30001	•	•	•	•
MAT-30002	•	•	•	•
MAT-30003	•	•	•	•
MAT-30011	•	•	•	•
MAT-30021	•	•	•	•
MAT-30022	•	•	•	•
MAT-30023	•	•	•	•
MAT-30031	•	•	•	•


						
	Connector for cap rail - Straight	Connector for cap rail - Flush elbow 90°	Connector for cap rail - Adjustable flush angle, 135° upwards	Connector for cap rail - Adjustable flush angle, 135° downwards	End cap for cap rail	Wall bracket
	A30181	A30281	A30381	A30481	A30581	A30681
MAT-30001	•	•	•	•	•	•
MAT-30002	•	•	•	•	•	•
MAT-30003	•	•	•	•	•	•
MAT-30011	•	•	•	•	•	•
MAT-30021	•	•	•	•	•	•
MAT-30022	•	•	•	•	•	•
MAT-30023	•	•	•	•	•	•
MAT-30031	•	•	•	•	•	•

CONNECTION GUIDE LINE


We produce handrails according to drawings and offer end-to-end solutions, from consultation and planification to implementation. Components are delivered completely pre-assembled for on-site installation.



MALTA 1 & 2



MALTA 3 & 4



LIGMAN

www.ligman.com