



20

TRILUM



SVĚTELNÉ STUDIO

Náměstí Na Sádkách 705
252 41 Dolní Břežany (Praha západ)

Telefon: +420 246 083 152

Mobil.: +420 702 061 783

E-mail: studio@aulix.cz

Web: www.aulix.cz

Sledujte nás také na sociálních sítích:






LIGHT AND BUILDING - FRANKFURT 2016 - EXHIBITION



LIGHT AND BUILDING - FRANKFURT 2018 - EXHIBITION



NÁBYTOK A BÝVANIE - NITRA 2019 - EXHIBITION



EUROLUCE - MILAN 2019 - EXHIBITION

ABOUT US



return to nature

Trilum is a brand based on experience. Our engineers and designers transform visions into reality. We draw on decades of combined experience in order to create our unique and prestigious products. The result being the latest lighting technology combined with pure nature to give a feel of harmony and prestige to any interior design.


mission

The aim of our brand is to provide reliable products with a focus on detail and quality. Each wooden lamp is made in the hands of our master craftsmen in order to create the perfect the final product. We believe that only a specialist with a trained eye can emphasis on the smallest detail in order to achieve the uncompromisable result we expect from our products.

our target

Our priority is 100% customer satisfaction. If you purchase a Trilium brand product, you are bringing nature and light into your home and by choosing LED technology you are guaranteeing quality without compromising comfort.

„Time spent amongst trees is never time wasted.“



TRILUM
SLOVENSKÉ DREVENÉ SVETIDLÁ

RÚČNE VYRÁBANÝ
DREVOTÝ KORPUS

STIMIE
Ø-10V.DA
REF DIALKO

ROVNOMERNE
CELDIPLOŠNE
SVIETENIE

JEDNODUCHÁ
MONTÁŽ A ODSTRÁNENIE

WOODEN
SQUARE
600

EFFECT
LED.TEC
145LM/W
3000K

INDEX
WOODEN LAMPS

ceiling lamps



SQUARE
page 11



ROUND
page 17



SLOPE
page 15



SOFT
page 21



LINUS
page 25



LINX
page 30,32



SPOT
page 35,37

recessed lamps



ROUND tilt
page 23

suspended lamps



SQUARE hang
page 13



ROUND hang
page 19



LINUS hang
page 27



LINX hang
page 31,33



SHADOW
page 49



POT
page 47



CONE
page 47



GECONe
page 47



COCOON
page 39



NEST
page 39



KILT
page 51

wall lamps



LIINY
page 41



ROONDY
page 41

floor lamps



SLEDGE
page 45



GRANNY
page 45

desk lamps



LANTERN
page 43



INDEX
ARCHITECTURAL LAMPS

recessed lamps

						
DOR R micro round page 55	SCOUT R micro round page 55	VISOR R micro square page 55	WINDOW R mini round page 61	HIDE R mini round page 63	STEALTH R mini round page 61	SPY R round page 63
						
SPY R mini round page 61	EYE R round page 61	CUP R page 65	PAN R page 67			
						
HIDE R mini square page 59	WINDOW R mini square page 59	SPY R mini square page 59	BOX R page 53	TRAY R micro page 57	FINGER R single page 63	EYE R semi round page 63

ceiling lamps

						
BARELL C mini page 69	EYE C semi round page 69	FINGER C page 69	CUBO C mini page 71	BOX C mini square page 71	BOX C page 71	LINE C page 73

suspended lamps



LINE H page 75

track lamps

						
EYE T midi page 77	STICK T page 77	TUBE T page 77	LINE T flat page 79	LINE T adjust page 79	FLAT T page 79	FLAT T adjust page 79




woodLED SQUARE 600




code	colour	source	W	K	lm
001-DD009Y ₂ S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
001-MM009Y ₂ S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
001-CC009Y ₂ S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
001-WW009Y ₂ S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
001-PP009Y ₂ S-DA		LED	55W	3000K/4000K/TW	4430/4860lm

woodLED SQUARE 900



code	colour	source	W	K	lm
002-DD009Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
002-MM009Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
002-CC009Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
002-WW009Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
002-PP009Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm

woodLED SQUARE 1200



code	colour	source	W	K	lm
003-DD009Y ₂ S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
003-MM009Y ₂ S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
003-CC009Y ₂ S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
003-WW009Y ₂ S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
003-PP009Y ₂ S-DA		LED	155W	3000K/4000K/TW	14620/15630lm

Available accessories



RF dimming set



Bluetooth dimming set



Zigbee dimming set




Casambi dimming set



SQUARE Hang
WOODLED LAMPS


woodLED SQUARE Hang 600



code	colour	source	W	K	lm
001-DD9H9Y ₂ S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
001-MM9H9Y ₂ S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
001-CC9H9Y ₂ S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
001-WW9H9Y ₂ S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
001-PP9H9Y ₂ S-DA		LED	55W	3000K/4000K/TW	4430/4860lm

*suspension kit not included



woodLED SQUARE Hang 900



code	colour	source	W	K	lm
002-DD9H9Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
002-MM9H9Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
002-CC9H9Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
002-WW9H9Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
002-PP9H9Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm

*suspension kit not included


woodLED SQUARE Hang 1200



code	colour	source	W	K	lm
003-DD9H9Y ₂ S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
003-MM9H9Y ₂ S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
003-CC9H9Y ₂ S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
003-WW9H9Y ₂ S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
003-PP9H9Y ₂ S-DA		LED	155W	3000K/4000K/TW	14620/15630lm

*suspension kit not included

Suspension kit



code	colour
011-DD94000-DA	
011-MM94000-DA	
011-CC94000-DA	
011-WW94000-DA	
011-PP94000-DA	

Available accessories



Colour cable



RF dimming set



Bluetooth dimming set




Zigbee dimming set



Casambi dimming set




woodLED SLOPE 600




code	colour	source	W	K	lm
007-DD0H9Y2S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
007-MM0H9Y2S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
007-CC0H9Y2S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
007-WW0H9Y2S-DA		LED	55W	3000K/4000K/TW	4430/4860lm
007-PP0H9Y2S-DA		LED	55W	3000K/4000K/TW	4430/4860lm

woodLED SLOPE 900



code	colour	source	W	K	lm
008-DD0H9Y2S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
008-MM0H9Y2S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
008-CC0H9Y2S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
008-WW0H9Y2S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
008-PP0H9Y2S-DA		LED	123W	3000K/4000K/TW	10130/11130lm

woodLED SLOPE 1200



code	colour	source	W	K	lm
009-DD0H9Y2S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
009-MM0H9Y2S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
009-CC0H9Y2S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
009-WW0H9Y2S-DA		LED	155W	3000K/4000K/TW	14620/15630lm
009-PP0H9Y2S-DA		LED	155W	3000K/4000K/TW	14620/15630lm

Available accessories



RF dimming set



Bluetooth dimming set



Zigbee dimming set



Casambi dimming set



ROUND
WOODLED LAMPS

woodLED ROUND 600



code	colour	source	W	K	lm
004-DD009Y ₂ S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-MM009Y ₂ S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-CC009Y ₂ S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-WW009Y ₂ S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-PP009Y ₂ S-DA		LED	50W	3000K/4000K/TW	4060/4460lm

woodLED ROUND 900



code	colour	source	W	K	lm
005-DD009Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-MM009Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-CC009Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-WW009Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-PP009Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm


woodLED ROUND 1200




code	colour	source	W	K	lm
006-DD009Y ₂ S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-MM009Y ₂ S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-CC009Y ₂ S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-WW009Y ₂ S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-PP009Y ₂ S-DA		LED	155W	3000K/4000K/TW	14930/15300lm

Available accessories






woodLED ROUND Hang 600



code	colour	source	W	K	lm
004-DD0H9Y ₂ S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-MM0H9Y ₂ S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-CC0H9Y ₂ S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-WW0H9Y ₂ S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-PP0H9Y ₂ S-DA		LED	50W	3000K/4000K/TW	4060/4460lm

*suspension kit not included


woodLED ROUND Hang 900



code	colour	source	W	K	lm
005-DD0H9Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-MM0H9Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-CC0H9Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-WW0H9Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-PP0H9Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm

*suspension kit not included


woodLED ROUND Hang 1200



code	colour	source	W	K	lm
006-DD0H9Y ₂ S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-MM0H9Y ₂ S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-CC0H9Y ₂ S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-WW0H9Y ₂ S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-PP0H9Y ₂ S-DA		LED	155W	3000K/4000K/TW	14930/15300lm

*suspension kit not included

Suspension kit



code	colour
011-DD94000-DA	
011-MM94000-DA	
011-CC94000-DA	
011-WW94000-DA	
011-PP94000-DA	

Available accessories



Colour cable



RF dimming set



Bluetooth dimming set



Zigbee dimming set



Casambi dimming set



ROUND Soft
WOODLED LAMPS



woodLED SOFT 600



code	colour	source	W	K	lm
034-DD009Y ₂ S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
034-MM009Y ₂ S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
034-CC009Y ₂ S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
034-WW009Y ₂ S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
034-PP009Y ₂ S-DA		LED	50W	3000K/4000K/TW	4060/4460lm

woodLED SOFT 900



code	colour	source	W	K	lm
035-X ₁ X ₂ 009Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
035-X ₁ X ₂ 009Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
035-X ₁ X ₂ 009Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
035-X ₁ X ₂ 009Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
035-X ₁ X ₂ 009Y ₂ S-DA		LED	123W	3000K/4000K/TW	10130/11130lm

woodLED SOFT 1200



code	colour	source	W	K	lm
036-X ₁ X ₂ 009Y ₂ S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
036-X ₁ X ₂ 009Y ₂ S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
036-X ₁ X ₂ 009Y ₂ S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
036-X ₁ X ₂ 009Y ₂ S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
036-X ₁ X ₂ 009Y ₂ S-DA		LED	155W	3000K/4000K/TW	14930/15300lm

Available accessories






woodLED ROUND Tilt 600

OSRAM
OSRAM
SAMSUNG
LED
CRI 90+

SAMSUNG
LED
120°
230V
AC
IP20
DALI /
PUSH
5°
664
12.5+35




code	colour	source	W	K	lm
004-DD0T9Y2S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-MM0T9Y2S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-CC0T9Y2S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-WW0T9Y2S-DA		LED	50W	3000K/4000K/TW	4060/4460lm
004-X0T9Y2S-DA		LED	50W	3000K/4000K/TW	4060/4460lm

*recessed kit not included

woodLED ROUND Tilt 900

OSRAM
OSRAM
SAMSUNG
LED
CRI 90+

SAMSUNG
LED
120°
230V
AC
IP20
DALI /
PUSH
5°
924
12.5+35




code	colour	source	W	K	lm
005-DD0T9Y2S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-MM0T9Y2S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-CC0T9Y2S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-WW0T9Y2S-DA		LED	123W	3000K/4000K/TW	10130/11130lm
005-PP0T9Y2S-DA		LED	123W	3000K/4000K/TW	10130/11130lm

*recessed kit not included

woodLED ROUND Tilt 1200

OSRAM
OSRAM
SAMSUNG
LED
CRI 90+


SAMSUNG
LED
120°
230V
AC
IP20
DALI /
PUSH
5°
1174
12.5+35



code	colour	source	W	K	lm
006-DD0T9Y2S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-MM0T9Y2S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-CC0T9Y2S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-WW0T9Y2S-DA		LED	155W	3000K/4000K/TW	14930/15300lm
006-PP0T9Y2S-DA		LED	155W	3000K/4000K/TW	14930/15300lm

*recessed kit not included

Recessed kit



code	colour	cut out
011-DD94000-DA		Ø 664
011-MM94000-DA		Ø 924
011-CC94000-DA		Ø 1174

Available accessories

RF dimming set

Bluetooth dimming set


Zigbee dimming set

Casambi dimming set



LINUS
WOODLED LAMPS

woodLED LINUS 1100



code	colour	source	W	K	lm
031-DD009Y ₂ S-DA		LED	32W	3000K/4000K/TW	2740/2990lm
031-MM009Y ₂ S-DA		LED	32W	3000K/4000K/TW	2740/2990lm
031-CC009Y ₂ S-DA		LED	32W	3000K/4000K/TW	2740/2990lm
031-WW009Y ₂ S-DA		LED	32W	3000K/4000K/TW	2740/2990lm
031-PP009Y ₂ S-DA		LED	32W	3000K/4000K/TW	2740/2990lm


woodLED LINUS 1600




code	colour	source	W	K	lm
032-DD009Y ₂ S-DA		LED	48W	3000K/4000K/TW	4110/4480lm
032-MM009Y ₂ S-DA		LED	48W	3000K/4000K/TW	4110/4480lm
032-CC009Y ₂ S-DA		LED	48W	3000K/4000K/TW	4110/4480lm
032-WW009Y ₂ S-DA		LED	48W	3000K/4000K/TW	4110/4480lm
032-PP009Y ₂ S-DA		LED	48W	3000K/4000K/TW	4110/4480lm

Available accessories






woodLED LINUS Hang 1100



code	colour	source	W	K	lm
031-DD0H9Y ₂ S-DA		LED	32W	3000K/4000K/TW	2740/2990lm
031-MM0H9Y ₂ S-DA		LED	32W	3000K/4000K/TW	2740/2990lm
031-CC0H9Y ₂ S-DA		LED	32W	3000K/4000K/TW	2740/2990lm
031-WW0H9Y ₂ S-DA		LED	32W	3000K/4000K/TW	2740/2990lm
031-PP0H9Y ₂ S-DA		LED	32W	3000K/4000K/TW	2740/2990lm

*suspension kit not included


woodLED LINUS Hang 1600



code	colour	source	W	K	lm
032-DD0H9Y ₂ S-DA		LED	48W	3000K/4000K/TW	4110/4480lm
032-MM0H9Y ₂ S-DA		LED	48W	3000K/4000K/TW	4110/4480lm
032-CC0H9Y ₂ S-DA		LED	48W	3000K/4000K/TW	4110/4480lm
032-WW0H9Y ₂ S-DA		LED	48W	3000K/4000K/TW	4110/4480lm
032-PP0H9Y ₂ S-DA ₂		LED	48W	3000K/4000K/TW	4110/4480lm

*suspension kit not included

Suspension kit



code	colour
011-DD94000-DA	
011-MM94000-DA	
011-CC94000-DA	
011-WW94000-DA	
011-PP94000-DA	

Available accessories






LINX
WOODLED LAMPS




woodLED LINX 1200




code	colour	source	W	K	lm
048-D20083S-DA-2G		LED	33W	3000K	3780lm
048-D20084S-DA-2G		LED	33W	4000K	4000lm
048-W20083S-DA-2G		LED	33W	3000K	3780lm
048-W20084S-DA-2G		LED	33W	4000K	4000lm

woodLED LINX 1200




code	colour	source	W	K	lm
048-D20083S-DA-4A		LED	52W	3000K	4400lm
048-D20084S-DA-4A		LED	52W	4000K	4800lm
048-W20083S-DA-4A		LED	52W	3000K	4400lm
048-W20084S-DA-4A		LED	52W	4000K	4800lm

woodLED LINX 1200



code	colour	source	W	K	lm
048-D20083S-DA-1G2A		LED	29W	3000K	1890/1100lm
048-D20084S-DA-1G2A		LED	29W	4000K	2000/1200lm
048-W20083S-DA-1G2A		LED	29W	3000K	1890/1100lm
048-W20084S-DA-1G2A		LED	29W	4000K	2000/1200lm

woodLED LINX 1200



code	colour	source	W	K	lm
048-D20083S-DA-1G2S		LED	33W	3000K	1890/1400lm
048-D20084S-DA-1G2S		LED	33W	4000K	2000/1500lm
048-W20083S-DA-1G2S		LED	33W	3000K	1890/1400lm
048-W20084S-DA-1G2S		LED	33W	4000K	2000/1500lm

Available accessories

Bluetooth




Bluetooth dimming set

CASAMBI




Casambi dimming set

woodLED LINX Hang 1200




code	colour	source	W	K	lm
048-D22683S-DA-2G1U	Light Oak	LED	49W	3000K	3780/2200lm
048-D22684S-DA-2G1U	Dark Oak	LED	49W	4000K	4000/2350lm
048-W22683S-DA-2G1U	Light Oak	LED	49W	3000K	3780/2200lm
048-W22084S-DA-2G	Dark Oak	LED	49W	4000K	4000/2350lm

woodLED LINX Hang 1200




code	colour	source	W	K	lm
048-D22683S-DA-4A1U	Light Oak	LED	43W	3000K	2200/2200lm
048-D22684S-DA-4A1U	Dark Oak	LED	43W	4000K	2400/2350lm
048-W22683S-DA-4A1U	Light Oak	LED	43W	3000K	2200/2200lm
048-W22684S-DA-4A1U	Dark Oak	LED	43W	4000K	2400/2350lm

woodLED LINX Hang 1200



code	colour	source	W	K	lm
048-D22683S-DA-1G2A1U	Light Oak	LED	46W	3000K	1890/1100lm - 2200lm
048-D22684S-DA-1G2A1U	Dark Oak	LED	46W	4000K	2000/1200lm - 2350lm
048-W22683S-DA-1G2A1U	Light Oak	LED	46W	3000K	1890/1100lm - 2200lm
048-W22684S-DA-1G2A1U	Dark Oak	LED	46W	4000K	2000/1200lm - 2350lm

woodLED LINX Hang 1200



code	colour	source	W	K	lm
048-D22683S-DA-1G2S1U	Light Oak	LED	50W	3000K	1890/1400lm - 2200lm
048-D22684S-DA-1G2S1U	Dark Oak	LED	50W	4000K	2000/1500lm - 2350lm
048-W22683S-DA-1G2S1U	Light Oak	LED	50W	3000K	1890/1400lm - 2200lm
048-W22684S-DA-1G2S1U	Dark Oak	LED	50W	4000K	2000/1500lm - 2350lm

Available accessories

Bluetooth




CASAMBI



Bluetooth dimming set


Casambi dimming set

woodLED LINX 1800




code	colour	source	W	K	lm
049-D20083S-DA-3G		LED	49W	3000K	5670lm
049-D20084S-DA-3G		LED	49W	4000K	6000lm
049-W20083S-DA-3G		LED	49W	3000K	5670lm
049-D20084S-DA-3G		LED	49W	4000K	6000lm

woodLED LINX 1800




code	colour	source	W	K	lm
049-D20083S-DA-6A		LED	78W	3000K	6600lm
049-D20084S-DA-6A		LED	78W	4000K	7200lm
049-W20083S-DA-6A		LED	78W	3000K	6600lm
049-W20084S-DA-6A		LED	78W	4000K	7200lm

woodLED LINX 1800



code	colour	source	W	K	lm
049-D20083S-DA-2G2A		LED	59W	3000K	3780/2200lm
049-D20084S-DA-2G2A		LED	59W	4000K	4000/2400lm
049-W20083S-DA-2G2A		LED	59W	3000K	3780/2200lm
049-W20084S-DA-2G2A		LED	59W	4000K	4000/2400lm

woodLED LINX 1800



code	colour	source	W	K	lm
049-D20083S-DA-2G2S		LED	49W	3000K	3780/1400lm
049-D20084S-DA-2G2S		LED	49W	4000K	4000/1500lm
049-W20083S-DA-2G2S		LED	49W	3000K	3780/1400lm
049-W20084S-DA-2G2S		LED	49W	4000K	4000/1500lm

Available accessories

Bluetooth





Bluetooth dimming set

CASAMBI




Casambi dimming set

woodLED LINX Hang 1800




code	colour	source	W	K	lm
049-D22683S-DA-3G2U		LED	82W	3000K	5670/4400lm
049-D22684S-DA-3G2U		LED	82W	4000K	6000/4700lm
049-W22683S-DA-3G2U		LED	82W	3000K	5670/4400lm
049-W22684S-DA-3G2U		LED	82W	4000K	6000/4700lm

woodLED LINX Hang 1800





code	colour	source	W	K	lm
049-D22683S-DA-6A2U		LED	112W	3000K	6600/4400lm
049-D22684S-DA-6A2U		LED	112W	4000K	7200/4700lm
049-W22683S-DA-6A2U		LED	112W	3000K	6600/4400lm
049-W22684S-DA-6A2U		LED	112W	4000K	7200/4700lm

woodLED LINX Hang 1800



code	colour	source	W	K	lm
049-D22683S-DA-2G2A2U		LED	92W	3000K	3780/2200lm - 4400lm
049-D22684S-DA-2G2A2U		LED	92W	4000K	4000/2400lm - 4700lm
049-W22683S-DA-2G2A2U		LED	92W	3000K	3780/2200lm - 4400lm
049-W22684S-DA-2G2A2U		LED	92W	4000K	4000/2400lm - 4700lm

woodLED LINX Hang 1800



code	colour	source	W	K	lm
049-D22683S-DA-2G2S2U		LED	83W	3000K	3780/1400lm - 4400lm
049-D22684S-DA-2G2S2U		LED	83W	4000K	4000/1500lm - 4700lm
049-W22683S-DA-2G2S2U		LED	83W	3000K	3780/1400lm - 4400lm
049-W22684S-DA-2G2S2U		LED	83W	4000K	4000/1500lm - 4700lm

Available accessories

Bluetooth



Bluetooth dimming set

CASAMBI



Casambi dimming set



woodLED SPOT Single mini

TCI
DRIVER

CITIZEN
LED

CRI 85+

CITIZEN
LED

40°

230V
AC

IP20

350mA

AKO

±30°

360°



code	colour	source	W	K	lm
015-D2008Y ₂ 4-00		LED	8W	3000K/4000K	610/670lm
015-M2008Y ₂ 4-00		LED	8W	3000K/4000K	610/670lm
015-C2008Y ₂ 4-00		LED	8W	3000K/4000K	610/670lm
015-V2008Y ₂ 4-00		LED	8W	3000K/4000K	610/670lm
015-P2008Y ₂ 4-00		LED	8W	3000K/4000K	610/670lm

woodLED SPOT Duo mini

TCI
DRIVER

CITIZEN
LED

CRI 85+

CITIZEN
LED

40°

230V
AC


IP20

350mA

AKO

±30°

360°



code	colour	source	W	K	lm
016-D2008Y ₂ 4-00		LED	2x8W	3000K/4000K	1220/1340lm
016-M2008Y ₂ 4-00		LED	2x8W	3000K/4000K	1220/1340lm
016-C2008Y ₂ 4-00		LED	2x8W	3000K/4000K	1220/1340lm
016-V2008Y ₂ 4-00		LED	2x8W	3000K/4000K	1220/1340lm
016-P2008Y ₂ 4-00		LED	2x8W	3000K/4000K	1220/1340lm

woodLED triple SPOT mini

TCI
DRIVER

CITIZEN
LED

CRI 85+

CITIZEN
LED

40°

230V
AC

IP20

350mA

AKO

±30°

360°



code	colour	source	W	K	lm
017-D2008Y ₂ 4-00		LED	3x8W	3000K/4000K/TW	1830/2010lm
017-M2008Y ₂ 4-00		LED	3x8W	3000K/4000K/TW	1830/2010lm
017-C2008Y ₂ 4-00		LED	3x8W	3000K/4000K/TW	1830/2010lm
017-V2008Y ₂ 4-00		LED	3x8W	3000K/4000K/TW	1830/2010lm
017-P2008Y ₂ 4-00		LED	3x8W	3000K/4000K/TW	1830/2010lm

Available accessories



DALI dimmable driver



woodLED SPOT Single



code	colour	source	W	K	lm
023-D2009Y ₂ 4-00		LED	20W	3000K/4000K	2115/2260lm
023-M2009Y ₂ 4-00		LED	20W	3000K/4000K	2115/2260lm
023-C2009Y ₂ 4-00		LED	20W	3000K/4000K	2115/2260lm
023-VV2009Y ₂ 4-00		LED	20W	3000K/4000K	2115/2260lm
023-P2009Y ₂ 4-00		LED	20W	3000K/4000K	2115/2260lm

woodLED SPOT Duo




code	colour	source	W	K	lm
024-D2009Y ₂ 2-00		LED	2x20W	3000K/4000K	4230/4520lm
024-M2009Y ₂ 2-00		LED	2x20W	3000K/4000K	4230/4520lm
024-C2009Y ₂ 2-00		LED	2x20W	3000K/4000K	4230/4520lm
024-VV2009Y ₂ 2-00		LED	2x20W	3000K/4000K	4230/4520lm
024-P2009Y ₂ 2-00		LED	2x20W	3000K/4000K	4230/4520lm

Available accessories



DALI dimmable driver




woodLED NEST 400

230V
AC

IP20

1x
E27




code	colour	base	W
045-DDX _s 1000		1xE27	max. 1x60W
045-WWX _s 1000		1xE27	max. 1x60W

woodLED NEST 800

230V
AC

IP20

3x
E27



code	colour	base	W
046-DDX _s 1000		3xE27	max. 3x60W
046-WWX _s 1000		3xE27	max. 3x60W

woodLED COCOON

230V
AC

IP20

1x
E27



code	colour	base	W
047-DDX _s 1000		1xE27	max. 1x60W

Available accessories



E27 bulb




woodLED ROUNDY 200



code	colour	source	W	K	lm
041-DD0083S		LED	7W	3000K	240lm
041-WW0083S		LED	7W	3000K	240lm

woodLED ROUNDY 280




code	colour	source	W	K	lm
042-DD0083S		LED	13W	3000K	445lm
042-WW0083S		LED	13W	3000K	445lm

woodLED LIINY 680



code	colour	source	W	K	lm
031-DD0083S		LED	32W	3000K	1095lm
031-WW0083S		LED	32W	3000K	1095lm

woodLED LIINY 1280




code	colour	source	W	K	lm
032-DD0083S		LED	48W	3000K	1645lm
032-WW0083S		LED	48W	3000K	1645lm



LANTERN
DESK LAMPS




LANTERN mini




code	colour	base	W	K	lm
151-220082W-BI		1xE14	4W	2700K	400lm

LANTERN mini




code	colour	base	W	K	lm
151-110082W-BI		1xE14	4W	2700K	400lm

LANTERN mini




code	colour	base	W	K	lm
151-770082W-BI		1xE14	4W	2700K	400lm

woodLED SLEDGE



code	colour	source	W	K	lm
040-DD50T8S-BI		LED	50W	1800-5500K	3000lm
040-MM50T8S-BI		LED	50W	1800-5500K	3000lm
040-CC50T8S-BI		LED	50W	1800-5500K	3000lm
040-WW50T8S-BI		LED	50W	1800-5500K	3000lm
040-PP50T8S-BI		LED	50W	1800-5500K	3000lm

woodLED GRANNY



code	colour	base	W
103-BB11000		1xE27	1x60W
103-DD11000		1xE27	1x60W
103-WW22000		1xE27	1x60W
103-IB11000		1xE27	1x60W
103-2W22000		1xE27	1x60W

Available accessories



E27 bulb



woodLED CONE

230V
AC

IP20

1x
E27



code	colour	base	W
101-DD11000		1xE27	max. 1x60W
101-VVW22000		1xE27	max. 1x60W
101-1D11000		1xE27	max. 1x60W
101-2D22000		1xE27	max. 1x60W

woodLED POT

230V
AC

IP20

3x
E27



code	colour	base	W
102-DD11000		1xE27	max. 1x60W
102-VVW22000		1xE27	max. 1x60W
102-1D11000		1xE27	max. 1x60W
102-2D22000		1xE27	max. 1x60W

woodLED GECONE

CREE
LED

MW
1000lm


CRI 90+

230V
AC

IP20

24V DC

110°



code	colour	source	W	K	lm
104-BB2293S		LED	32W	3000K	1260lm
104-VVW2293S		LED	32W	3000K	1260lm
104-1B2293S		LED	32W	3000K	1260lm

Available accessories




E27 bulb




SHADOW
WOODLED LAMPS

woodLED SHADOW 1000




code	colour	source	W	K	lm
105-1D159TS-BI		LED	18W	2700/3700/5700K	1764-2016lm
105-2W269TS-BI		LED	18W	2700/3700/5700K	1764-2016lm

woodLED SHADOW 1400



code	colour	source	W	K	lm
106-1D159TS-BI		LED	26W	2700/3700/5700K	2548-2912lm
106-2W269TS-BI		LED	26W	2700/3700/5700K	2548-2912lm

woodLED SHADOW 1900



code	colour	source	W	K	lm
107-1D159TS-BI		LED	36W	2700/3700/5700K	3528-4032lm
107-2W269TS-BI		LED	36W	2700/3700/5700K	3528-4032lm



KILT
WOODLED LAMPS

KILT Large

230V AC IP20 1x E27



code	colour	base	W
108-A111000		1xE27	max. 1x60W
108-D222000		1xE27	max. 1x60W

KILT Medium

230V AC IP20 1x E27



code	colour	base	W
109-A111000		1xE27	max. 1x60W
109-D222000		1xE27	max. 1x60W

KILT Mimi

230V AC IP20 1x E27



code	colour	base	W
110-A111000		1xE27	max. 1x60W
110-D222000		1xE27	max. 1x60W

KILT Pico

230V AC IP20 1x GU10



code	colour	base	W
111-A111000		1xGU10	max. 1x50W
111-D222000		1xGU10	max. 1x50W

Available accessories



E27 bulb




GU10 bulb



BOX R mini single


12V AC/DC IP20 1x GU5.3 200 104x104 5-25 ±30°



code	colour	base	W
203-2200000	■	1xGU5.3	max. 1x50W
203-1100000	□	1xGU5.3	max. 1x50W

BOX R mini duo


12V AC/DC IP20 2x GU5.3 200 209x104 5-25 ±30°



code	colour	base	W
204-2200000	■	2xGU5.3	max. 2x50W
204-1100000	□	2xGU5.3	max. 2x50W

BOX R mini triple


12V AC/DC IP20 3x GU5.3 200 301x104 5-25 ±30°



code	colour	base	W
205-2200000	■	3xGU5.3	max. 3x50W
205-1100000	□	3xGU5.3	max. 3x50W

BOX R single


12V AC/DC IP20 1x G53 200 164x164 5-25 ±30°





code	colour	base	W
206-2200000	■	1xG53/AR111	max. 1x75W
206-1100000	□	1xG53/AR111	max. 1x75W

BOX R duo


12V AC/DC IP20 2x G53 200 330x104 5-25 ±30°



code	colour	base	W
207-2200000	■	2xG53/AR111	max. 2x75W
207-1100000	□	2xG53/AR111	max. 2x75W




VISOR R micro square



code	colour	source	W	K	lm
222-1100839		LED	1x3W	3000K	300lm

*dimmable driver available on request


SCOUT R micro round



code	colour	source	W	K	lm
224-1100834		LED	1x3W	3000K	300lm

*dimmable driver available on request

DOR R micro round



code	colour	source	W	K	lm
225-1100833		LED	2.1W	3000K	210lm

*dimmable driver available on request

Available accessories



DALI dimmable driver



TRAY R
RECESSED LAMPS

TRAY R micro duo

CREE
LED

50°

230V
AC

IP20

700mA

XIO

57x35

5-25

UGR <19

CRI 80+

code	colour	source	W	K	lm
230-1200835		LED	2x2.1W	3000K	420lm

*dimmable driver available on request



TRAY R micro quinto

CREE
LED

50°

230V
AC

IP20

700mA

XIO

128x35


5-25

UGR <19

CRI 80+

code	colour	source	W	K	lm
231-1200835		LED	5x2.1W	3000K	1050lm

*dimmable driver available on request



TRAY R micro decimo

CREE
LED

50°

230V
AC

IP20

700mA

XIO

248x35


5-25

UGR <19

CRI 80+

code	colour	source	W	K	lm
232-1200835		LED	10x2.1W	3000K	2100lm

*dimmable driver available on request



Available accessories



DALI dimmable driver



HIDE R mini square



code	colour	source	W	K	lm
228-1200835		LED	1x10W	3000K	950lm

*dimmable driver available on request

WINDOW R mini square



code	colour	base	W
213-1100000		1xGU10	max. 1x50W

SPY R mini square



code	colour	base	W
214-1100000		1xGU10	max. 1x50W

Available accessories



GU10 bulb



DALI dimmable driver



STEALTH / SPY
RECESSED LAMPS



STEALTH R mini round

230V AC IP20 1x GU10 83 5-25 UGR <19



code	colour	base	W
201-1100000	☒	1xGU10	max. 1x50W

WINDOW R mini round

230V AC IP40 1x GU10 76 5-25



code	colour	base	W
215-1100000	☒	1xGU10	max. 1x50W

SPY R mini round

230V AC IP20 1x GU10 83 360° 0-30°



code	colour	base	W
214-1100000	☒	1xGU10	max. 1x50W

EYE R round

HEP LUMINUS LED 60° 230V AC IP20 330mA 1x GU10 105 350° 0-30° 5-25



code	colour	source	W	K	lm
239-1200936	☐	LED	15W	3000K	1270lm
239-1200946	☐	LED	15W	4000K	1370lm
239-2200936	☒	LED	15W	3000K	1270lm
239-2200946	☒	LED	15W	4000K	1370lm

*dimmmable driver available on request

Available accessories



GU10 bulb



DALI dimmable driver



SPY / HIDE
RECESSED LAMPS



HIDE R mini round


230V AC IP20 1x GU10 83 3-360° 0-30° 5-25 UGR <19



code	colour	base	W
217-2200000	■	1xGU10	max. 1x50W

SPY R round

12V AC/DC IP20 1x G53 142 360° 0-30° 5-25 UGR <19



code	colour	base	W
219-1100000	☐	1xGU10	max. 1x50W

FINGER R single

PHILIPS LED CRI 90+ 15-36° 230V AC IP20 200mA 2x GU10 60 0-90° 5-25 UGR <19




code	colour	source	W	K	lm
212-120093Z	■	LED	1x7W	3000K	400lm
212-120094Z	■	LED	1x7W	4000K	420lm

*dimnable driver available on request

EYE R semi round

HEP DRIVER LUMINUS LED CRI 90+ 60° 230V AC IP20 350mA 2x GU10 72-75 355° 0-90° 5-25 UGR <19



code	colour	source	W	K	lm
240-1200936	☐	LED	15W	3000K	1270lm
240-1200946	☐	LED	15W	4000K	1370lm
240-2200936	■	LED	15W	3000K	1270lm
240-2200946	■	LED	15W	4000K	1370lm

*dimnable driver available on request


Available accessories




GU10 bulb



DALI dimmable driver




CUP R mini round



code	colour	source	W	K	lm
233-1100934		LED	1x3W	3000K	185lm
233-1200934		LED	1x3W	3000K	185lm
233-1300934		LED	1x3W	3000K	185lm
233-1100944		LED	1x3W	4000K	195lm
233-1200944		LED	1x3W	4000K	195lm
233-1300944		LED	1x3W	4000K	195lm

*dimmable driver available on request

CUP R round



code	colour	source	W	K	lm
234-1100934		LED	1x10W	3000K	835lm
234-1200934		LED	1x10W	3000K	835lm
234-1300934		LED	1x10W	3000K	835lm
234-1100944		LED	1x10W	4000K	850lm
234-1200944		LED	1x10W	4000K	850lm
234-1300944		LED	1x10W	4000K	850lm

*dimmable driver available on request

Available accessories



DALI dimmable driver



PAN R mini



code	colour	source	W	K	lm
235-1100839		LED	1x5W	3000K	455lm
235-1200839		LED	1x5W	3000K	455lm
235-1300839		LED	1x5W	3000K	455lm
235-1100849		LED	1x5W	4000K	475lm
235-1200849		LED	1x5W	4000K	475lm
235-1300849		LED	1x5W	4000K	475lm

*dimmable driver available on request

PAN R midi



code	colour	source	W	K	lm
236-1100839		LED	1x15W	3000K	1400lm
236-1200839		LED	1x15W	3000K	1400lm
236-1300839		LED	1x15W	3000K	1400lm
236-1100849		LED	1x15W	4000K	1425lm
236-1200849		LED	1x15W	4000K	1425lm
236-1300849		LED	1x15W	4000K	1425lm

*dimmable driver available on request

PAN R maxi



code	colour	source	W	K	lm
237-1100839		LED	1x25W	3000K	2345lm
237-1200839		LED	1x25W	3000K	2345lm
237-1300839		LED	1x25W	3000K	2345lm
237-1100849		LED	1x25W	4000K	2375lm
237-1200849		LED	1x25W	4000K	2375lm
237-1300849		LED	1x25W	4000K	2375lm

*dimmable driver available on request

Available accessories




DALI dimmable driver



BARELL C mini

1x GU10 230V AC IP20 1x GU10 UGR <19




code	colour	base	W
301-1200000		1x GU10	max. 1x 50W

EYE C semi round

HEP LUMINUS LED CRI 90+

LUMINUS LED 60° 230V AC IP20 350mA XfX 355° 0-90° UGR <19




code	colour	source	W	K	lm
317-1200936		LED	15W	3000K	1270lm
317-1200946		LED	15W	4000K	1370lm
317-2200936		LED	15W	3000K	1270lm
317-2200946		LED	15W	4000K	1370lm

FINGER C single

PHILIPS LED CRI 90+

PHILIPS LED 15-36° 230V AC IP20 200mA XfX 360° 0-90° UGR <19




code	colour	source	W	K	lm
310-120093Z		LED	1x 7W	3000K	400lm
310-120094Z		LED	1x 7W	4000K	420lm

FINGER C duo

PHILIPS LED CRI 90+

PHILIPS LED 15-36° 230V AC IP20 200mA XfX 360° 0-90° UGR <19



code	colour	source	W	K	lm
311-120093Z		LED	2x 7W	3000K	800lm
311-120094Z		LED	2x 7W	4000K	840lm

Available accessories




GU10 bulb



CUBO / BOX
CEILING LAMPS




CUBO C mini




code	colour	source	W	K	lm
302-1200835		LED	1x10W	3000K	1000lm

BOX C mini square




code	colour	base	W
303-1100000		1xGU10	max. 1x50W

BOX C single



code	colour	base	W
304-1100000		1xG53/AR111	max. 1x75W
304-2200000		1xG53/AR111	max. 1x75W

BOX C duo



code	colour	base	W
305-1100000		2xG53/AR111	max. 2x75W
305-2200000		2xG53/AR111	max. 2x75W

Available accessories



GU10 bulb




G53/AR111 bulb




LINE C
CEILING LAMPS

LINE C mini




code	colour	source	W	K	lm
314-1100830-DA		LED	28W	3000K	2490lm
314-2200830-DA		LED	28W	3000K	2490lm
314-1100840-DA		LED	28W	4000K	2720lm
314-2200840-DA		LED	28W	4000K	2720lm

LINE C midi



code	colour	source	W	K	lm
313-1100830-DA		LED	37W	3000K	3320lm
313-2200830-DA		LED	37W	3000K	3320lm
313-1100840-DA		LED	37W	4000K	3620lm
313-2200840-DA		LED	37W	4000K	3620lm

LINE C maxi




code	colour	source	W	K	lm
312-11200830-DA		LED	55W	3000K	4970lm
312-2200830-DA		LED	55W	3000K	4970lm
312-11200840-DA		LED	55W	4000K	5430lm
312-2200840-DA		LED	55W	4000K	5430lm


Available accessories



Bluetooth dimming set




LINE H mini




code	colour	source	W	K	lm
603-1195830-DA		LED	28W	3000K	2490lm
603-2296830-DA		LED	28W	3000K	2490lm
603-1195840-DA		LED	28W	4000K	2720lm
603-2296840-DA		LED	28W	4000K	2720lm

LINE H midi



code	colour	source	W	K	lm
603-1195830-DA		LED	37W	3000K	3320lm
603-2296830-DA		LED	37W	3000K	3320lm
603-1195840-DA		LED	37W	4000K	3620lm
603-2296840-DA		LED	37W	4000K	3620lm

LINE H maxi



code	colour	source	W	K	lm
601-1195830-DA		LED	55W	3000K	4970lm
601-2296830-DA		LED	55W	3000K	4970lm
601-1195840-DA		LED	55W	4000K	5430lm
601-2296840-DA		LED	55W	4000K	5430lm

Available accessories



Bluetooth dimming set



EYE T midi

POWERGEAR[®]

LUMINUS
LED

CRI 90+

LUMINUS
LED

36°

230V
AC

IP20

500mA

0°-90°

0-90°



code	colour	source	W	K	lm
401-1200933		LED	1x20W	3000K	1480lm
401-2200933		LED	1x20W	3000K	1480lm
401-1200943		LED	1x20W	4000K	1600lm
401-2200943		LED	1x20W	4000K	1600lm

STICK T

POWERGEAR[®]

CITIZEN
LED

CRI 90+

CITIZEN
LED

38°

230V
AC

IP20

500mA

0°-360°

0-360°



code	colour	source	W	K	lm
402-1200933		LED	1x21W	3000K	1940lm
402-2200933		LED	1x21W	3000K	1940lm
402-1200943		LED	1x21W	4000K	2100lm
402-2200943		LED	1x21W	4000K	2100lm

TUBE T

POWERGEAR[®]

CITIZEN
LED

CRI 90+

SAMSUNG
LED

45°

IP20

230V
AC

750mA

0°-360°

0-45°



code	colour	source	W	K	lm
403-1100934		LED	1x30W	3000K	2910lm
403-2200934		LED	1x30W	3000K	2910lm
403-1100944		LED	1x30W	4000K	3150lm
403-2200944		LED	1x30W	4000K	3150lm




LINE T
TRACK LAMPS

LINE T flat




code	colour	source	W	K	lm
404-1100939		LED	30W	3000K	2120lm
404-2200939		LED	30W	3000K	2120lm
404-1100949		LED	30W	4000K	2300lm
404-2200949		LED	30W	4000K	2300lm

LINE T adjust




code	colour	source	W	K	lm
405-1200939		LED	30W	3000K	2500lm
405-2200939		LED	30W	3000K	2500lm
405-1200949		LED	30W	4000K	2700lm
405-2200949		LED	30W	4000K	2700lm

FLAT T





code	colour	source	W	K	lm
409-1100839		LED	70W	3000K	8550lm
409-1100849		LED	70W	3000K	9130lm
409-2200839		LED	70W	4000K	8550lm
409-2200849		LED	70W	4000K	9130lm


FLAT T adjust



code	colour	source	W	K	lm	angle
410-1100833		LED	44W	3000K	5300lm	36°
410-1100843		LED	44W	4000K	5270lm	36°
410-1100839		LED	44W	3000K	5620lm	90°
410-1100849		LED	44W	4000K	5560lm	90°
410-2200833		LED	44W	3000K	5300lm	36°
410-2200843		LED	44W	4000K	5270lm	36°
410-2200839		LED	44W	3000K	5620lm	90°
410-2200849		LED	44W	4000K	5560lm	90°



TRACK
LAMPS



* POWER GEAR compatible

MATERIAL AND COLOURS

OPTIONAL VENEERING AND COLOURS OF DECORATIVE LAMPS



maple



birch



oak



cherry




walnut



palisander




black walnut




black/oak



white/oak




black/black walnut



white/ash

MATERIAL AND COLOURS


OPTIONAL COLOURS OF ARCHITECTURAL LAMPS




black




gray




white




red




gold



metallic blue



white/gray




black/white



black/gold




black/red



black/white

PRODUCT CODE

EXAMPLE OF CODIFICATION



SYMBOLS

	built in LED module		operating voltage 230V AC
	LED driver brand - OSRAM		operating voltage 12V DC
	LED chip brand - CREE		IEC protection class I
	nr. and type of lamp socket bulb included		IEC protection class II
	nr. and type of lamp socket bulb not included		IEC protection class III
	beam angle		ingress protection code IP
	back light/indirect		indoor use
	unified glare rating		indoor use
	tunable white/CCT		round mounting hole/cutout diameter in mm
	color rendering index		rectangular mounting hole/cutout in mm
	transformer/driver not included		rotatable about a vertical axis up to 360°
	transformer/driver included LED driving current 700mA		max. horizontal inclination angle 45°
	non dimmable lamp/driver		mounting material thickness
	dimmable lamp/driver DALI and PUSH		
	dimmable lamp/driver 0-10V / 1-10V analog		
	dimmable lamp/driver phase-cut		
	dimmable lamp/driver touch sensor		




23

TRILUM

NOVELTIES




woodLED **TRIGI**



code	colour	source	W	K	lm
051-DD009Y ₂ S-DA		LED	90W	2700K/5700K/TW	10890/11340lm
051-VW009Y ₂ S-DA		LED	90W	2700K/5700K/TW	10890/11340lm

*Y₂ - 2=2700K, 5=5700K, T= Tunable White

woodLED **FRAME** Hang



code	colour	source	W	K	lm
113-DX ₂ 0H9Y ₂ 8-DA		LED	27W	3000K/4000K/TW	3480/3630lm
113-WX ₂ 0H9Y ₂ 8-DA		LED	27W	3000K/4000K/TW	3480/3630lm

*X₂ - Empty D=Oak / W=Walnut | with Organoid H=Hay / A=Alpay / M=Moss
*Y₂ - 3=3000K, 4=4000K, TW=Tunable White

N A T U R A L M A T E R I A L S L O O K - F E E L - S M E L L



HAY & CORNFLOWER

The delicately scented organic alpine-hay is discreetly gilded with rose petals which give the natural surface a slightly red tint



ALPHAY MIX

A special mix of alpine-hay, marguerites in various sizes, edelweiss and petals of cornflowers, rose and heather



MOSS LIGHT

The light green moss we use is one of our upcycling materials



woodLED RING Spot 700 Hang



TRIDONIC
CRI 90+

LED 36° 60° 230V AC IP20 DALI PUSH

code	colour	source	W	K	lm
116-DX ₂ 0H9Y ₂ Y ₃ -DA		LED	35W	3000K/4000K	3900/4000lm
116-WX ₂ 0H9Y ₂ Y ₃ -DA		LED	35W	3000K/4000K	3900/4000lm

*X₂ - Empty D=Oak / W=Walnut | with Organoid H=Hay / A=Alpay / M=Moss
*Y₂ - 3=3000K, 4=4000K
*Y₃ - 3=36° , 6=60°

woodLED RING Spot 1200 Hang




TRIDONIC
CRI 90+

LED 36° 60° 230V AC IP20 DALI PUSH

code	colour	source	W	K	lm
118-DX ₂ 009Y ₂ Y ₃ -DA		LED	70W	3000K/4000K	7800/8000lm
118-WX ₂ 009Y ₂ Y ₃ -DA		LED	70W	3000K/4000K	7800/8000lm

*X₂ - Empty D=Oak / W=Walnut | with Organoid H=Hay / A=Alpay / M=Moss
*Y₂ - 3=3000K, 4=4000K
*Y₃ - 3=36° , 6=60°

woodLED RING Duo 600 Hang




TRIDONIC
CRI 90+

LED DI IN 230V AC IP20 DALI PUSH

code	colour	source	W	K	lm
119-DD0H9Y ₂ S-DA		LED	55W	3000K/4000K/TW	3264/3525lm
119-WW0H9Y ₂ S-DA		LED	55W	3000K/4000K/TW	3264/3525lm

*Y₂ - 3=3000K, 4=4000K, T= Tunable White

woodLED RING Duo 900 Hang



TRIDONIC
CRI 90+


LED DI IN 230V AC IP20 DALI PUSH

code	colour	source	W	K	lm
120-DD0H9Y ₂ S-DA		LED	75W	3000K/4000K/TW	4350/4500lm
120-WW0H9Y ₂ S-DA		LED	75W	3000K/4000K/TW	4350/4500lm

*Y₂ - 3=3000K, 4=4000K, T= Tunable White




woodLED SPHERE



code	colour	source	W	K	lm
125-DD009Y ₂ Y ₃ -Z ₁ Z ₂		LED	12W	3000K/4000K	1050/1150lm
125-WW009Y ₂ Y ₃ -Z ₁ Z ₂		LED	12W	3000K/4000K	1050/1150lm

*Y₂ - 3=3000K, 4=4000K
*Y₃ - 1=12°, 2=24°, 3=36°, 6=60°
*Z₁ Z₂ - 00=N/A, DA-DALI


woodLED CONUS



code	colour	source	W	K	lm
127-DD009Y ₂ Y ₃ -Z ₁ Z ₂		LED	12W	3000K/4000K	1050/1150lm
127-WW009Y ₂ Y ₃ -Z ₁ Z ₂		LED	12W	3000K/4000K	1050/1150lm

*Y₂ - 3=3000K, 4=4000K
*Y₃ - 1=12°, 2=24°, 3=36°, 6=60°
*Z₁ Z₂ - 00=N/A, DA-DALI

woodLED DRUM



code	colour	source	W	K	lm
128-DD009Y ₂ Y ₃ -Z ₁		LED	12W	3000K/4000K	1050/1150lm
128-WW009Y ₂ Y ₃ -Z ₁		LED	12W	3000K/4000K	1050/1150lm

*Y₂ - 3=3000K, 4=4000K
*Y₃ - 1=12°, 2=24°, 3=36°, 6=60°
*Z₁ Z₂ - 00=N/A, DA-DALI