

DECORATIVE LIGHTING

BOOK 02



 **Zambelis**
LIGHTS



SVĚTELNÉ STUDIO

Náměstí Na Sádkách 705
252 41 Dolní Břežany (Praha západ)

Telefon: +420 246 083 152

Mobil.: +420 702 061 783

E-mail: studio@aulix.cz


Web: www.aulix.cz

Sledujte nás také na sociálních sítích:



Connect to our B2B platform through our website and access everything you need, anytime - 24/7

-  B2B Online Order/Open Orders
-  Product Availability & Arrival Dates
-  Extensive Range of Products
-  HD Photos
-  Product Data Sheets
-  Installation Manuals
-  Flexibility & Customized Products
-  Manufacturing Products
-  Photometric Files
-  CE Certificates
-  COC Certificates
-  3D Models / 3D Viewer on Website



SUSTAINABILITY

Lighting the Future Responsibly.

We design lighting solutions that combine efficiency, durability and innovation - with minimal footprint and maximum purpose.

For us, green isn't just a color. It's a mindset shaping everything we create.



Scan to learn how we go green.



TABLE OF CONTENTS

01. CEILING | p.012-079

02. WALL | p.080-159

03. FLOOR & TABLE | p.160-213

04. BAMBOO & RATTAN | p.214-267

05. FANS | p.268-305

06. HOTEL | p.306-353

07. MIRRORS | p.354-379

08. BATHROOM | p.380-397

WE MAKE IT EASY

Virtual Light - ZambelisLights App








4 simple steps to light up your place



Download the
Virtual Light App
Scan QR



Find the ideal light
by browsing our
categories

View in your space
through your mobile
camera

Enjoy your
new atmosphere!










Centralized Ambient Illumination
Stylish shapes bring calm and comfort.








01. CEILING









Power 26W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1500Lm
 Cri 90
 Dimensions Ø: 40cm H: 14.3cm
 Base L: 18cm W: 6cm H: 4cm
 Dimmable Triac
 Material Metal - Aluminium - Acrylic
 Special Feature Profile 1.5x1.5cm
 Color Sandy Black / **Code 2561**
 Color Brass / **Code 2564**




Power 42W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2370Lm
 Cri 90
 Dimensions Ø: 59cm H: 17.2cm
 Base L: 20cm W: 6cm H: 4cm
 Dimmable Triac
 Material Metal - Aluminium - Acrylic
 Special Feature Profile 1.5x1.5cm
 Color Sandy Black / **Code 2562**
 Color Brass / **Code 2565**







Power	51W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2670Lm
Cri	90
Dimensions	Ø: 78cm H: 20.3cm
Base	L: 22cm W: 6cm H: 4cm
Dimmable Triac	☉
Material	Metal - Aluminium - Acrylic
Special Feature	Profile 1.5x1.5cm
Color	Sandy Black / Code 2563
Color	Brass / Code 2566




Power	69W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2970Lm
Cri	90
Dimensions	L: 140cm W: 51cm H: 6cm
Base	Ø: 25cm H: 4cm
Dimmable Triac	☉
Material	Metal - Aluminium - Acrylic
Special Feature	Profile 1.5x2cm
Color	Sandy Black / Code 25410
Color	Brushed Gold / Code 25411






Power	27W
Input	220-240V, 50/60Hz
Color Temperature	2700K, 3000K, 4000K
Lumen	1274Lm, 1334Lm, 1365Lm
Cri	90
Dimensions	Ø: 40cm H: 7.5cm
Base	Ø: 25.5cm H: 3.5cm
Dimmable Triac	☉
Material	Metal - Aluminium - Acrylic
Special Feature	Profile 1x4cm
Color	Brushed Gold / Code 25160
Color	Brushed Silver / Code 25161
Color	Sandy Black / Code 25163






Power 41W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K, 3000K, 4000K
 Lumen 2170Lm, 2199Lm, 2224Lm
 Cri 90
 Dimensions Ø: 59cm H: 7.5cm
 Base Ø: 44cm H: 3.5cm
 Dimmable Triac
 Material Metal - Aluminium - Acrylic
 Special Feature Profile 1x4cm
 Color Brushed Gold / **Code 25164**
 Color Brushed Silver / **Code 25165**
 Color Sandy Black / **Code 25167**





Power 20W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K, 3000K, 4000K
 Lumen 1630Lm, 1663Lm, 1710Lm
 Cri 90
 Dimensions Ø: 40cm H: 6cm
 Base Ø: 30cm H: 3.5cm
 Dimmable Triac
 Material Metal - Aluminium - Microprismatic Acrylic
 Color White Matt-Gold / **Code 25185**
 Color Black Matt-Gold / **Code 25186**
 Color Brushed Grey / **Code 25187**






Power 42W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K, 3000K, 4000K
 Lumen 2989Lm, 3035Lm, 3085Lm
 Cri 90
 Dimensions Ø: 58.5cm H: 6cm
 Base Ø: 45cm H: 3cm
 Dimmable Triac
 Material Metal - Aluminium - Microprismatic Acrylic
 Color White Matt-Gold / **Code 25188**
 Color Black Matt-Gold / **Code 25189**
 Color Brushed Grey / **Code 25190**




2700K





3000K




4000K



Power 42W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K, 3200K, 4000K
 Lumen 2511Lm, 2777Lm, 2933Lm
 Cri 90
 Dimensions Ø: 45cm H: 6cm
 Base Ø: 24.5cm H: 3.5cm
 DALI Dimmable
 Material Metal - Aluminium - Microprismatic Diffuser
 Color Sandy White / **Code 25197**
 Color Sandy Black / **Code 25198**



Power 56W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K, 3200K, 4000K
 Lumen 4316Lm, 4512Lm, 4706Lm
 Cri 90
 Dimensions Ø: 65cm H: 6cm
 Base Ø: 34.5cm H: 3.5cm
 DALI Dimmable
 Material Metal - Aluminium - Microprismatic Diffuser
 Color Sandy White / **Code 25199**
 Color Sandy Black / **Code 25200**




2700K




3200K




4000K




85





Power 84W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K, 3200K, 4000K
 Lumen 6152Lm, 6486Lm, 6781Lm
 Cri 90
 Dimensions Ø: 85cm H: 6cm
 Base Ø: 54.5cm H: 3.5cm
 DALI Dimmable 
 Material Metal - Aluminium - Microprismatic Diffuser
 Color Sandy Black / **Code 25201**
 Color Sandy White / **Code 25202**







Power 29W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1942Lm
 Cri 80
 Dimensions L: 40cm W: 40cm H: 6cm
 Base Ø: 23cm H: 4cm
 Dimmable Triac
 Material Metal - Aluminium - Acrylic
 Special Feature Profile 2x2cm
 Color Sandy Black / **Code 23205**
 Color Sandy White / **Code 23206**
 Color Gold Matt / **Code 23207**





Power 39W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2602Lm
 Cri 80
 Dimensions L: 59cm W: 59cm H: 6cm
 Base Ø: 41cm H: 4cm
 Dimmable Triac
 Material Metal - Aluminium - Acrylic
 Special Feature Profile 2x2cm
 Color Sandy Black / **Code 23208**
 Color Sandy White / **Code 23209**
 Color Gold Matt / **Code 23210**





Power 58W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3811Lm
 Cri 80
 Dimensions L: 78cm W: 78cm H: 6cm
 Base Ø: 59cm H: 4cm
 Dimmable Triac
 Material Metal - Aluminium - Acrylic
 Special Feature Profile 2x2cm
 Color Sandy Black / **Code 23211**
 Color Sandy White / **Code 23212**
 Color Gold Matt / **Code 23213**




Power	36W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2125Lm
Cri	80
Dimensions	L: 49cm W: 39cm H: 6.2cm
Base	Ø: 28cm H: 3cm
Dimmable Triac	○
Material	Metal - Aluminium - Acrylic
Color	White Matt / Code 23092
Color	Gold Matt-White Matt / Code 23093









Power 32W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2541Lm
 Cri 80
 Dimensions L: 60cm W: 60cm H: 6.7cm
 Base Ø: 50cm H: 3cm
 Dimmable Triac
 Material Metal - Aluminium - Acrylic
 Color White Matt / **Code 23086**
 Color Black Matt / **Code 23087**
 Color Gold Matt / **Code 23088**




Power 39W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3067Lm
 Cri 80
 Dimensions L: 80cm W: 80cm H: 6.7cm
 Base Ø: 67cm H: 3cm
 Dimmable Triac
 Material Metal - Aluminium - Acrylic
 Color White Matt / **Code 23089**
 Color Black Matt / **Code 23090**
 Color Gold Matt / **Code 23091**



Power 32W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1800Lm
 Cri 80
 Dimensions Ø: 40cm H: 8.5cm
 Base Ø: 32cm H: 3cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Color Sandy Black / **Code 2040**
 Color Sandy White / **Code 2041**
 Color Brushed Gold Matt / **Code 2042**




Power 43W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 3715Lm
 Cri 80
 Dimensions Ø: 60cm H: 8.5cm
 Base Ø: 52cm H: 3cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Color Sandy Black / **Code 2048**
 Color Sandy White / **Code 2049**
 Color Brushed Gold Matt / **Code 2050**




Power 55W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 4080Lm
 Cri 80
 Dimensions Ø: 80cm H: 8.5cm
 Base Ø: 72cm H: 3cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Color Sandy Black / **Code 2056**
 Color Sandy White / **Code 2057**
 Color Brushed Gold Matt / **Code 2058**






Power 37W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2034Lm
 Cri 80
 Dimensions Ø: 60cm H: 3.6cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature Profile 2.5x3.6cm
 Color Black Matt / **Code 23025**




Power 50W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2956Lm
 Cri 80
 Dimensions Ø: 80cm H: 3.6cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature Profile 2.5x3.6cm
 Color Black Matt / **Code 23027**








Power 37W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2034Lm
 Cri 80
 Dimensions Ø: 60cm H: 3.6cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature Profile 2.5x3.6cm
 Color Gold Matt / **Code 23024**




Power 50W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2956Lm
 Cri 80
 Dimensions Ø: 80cm H: 3.6cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature Profile 2.5x3.6cm
 Color Gold Matt / **Code 23026**







Power	24W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1418Lm
Cri	80
Dimensions	L: 60cm W: 64cm H: 6cm
Base	Ø: 12cm H: 6cm
Dimmable Triac	☉
Material	Aluminium - Silicon
Special Feature	Profile 1.5x2cm
Color	Black Matt-Gold Matt Ring / Code 23096
Color	Gold Matt-Black Matt Ring / Code 23098



Power	32W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1895Lm
Cri	80
Dimensions	L: 84cm W: 80cm H: 6cm
Base	Ø: 12cm H: 6cm
Dimmable Triac	☉
Material	Aluminium - Silicon
Special Feature	Profile 1.5x2cm
Color	Black Matt-Gold Matt Ring / Code 23097
Color	Gold Matt-Black Matt Ring / Code 23099




Bulb 1x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 50cm H: 30cm
 Material Metal
 Color Black Matt-Gold Leaf / **Code 23257**
 Color White Matt-Gold Leaf / **Code 23258**




Bulb 1x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 70cm H: 40cm
 Material Metal
 Color Black Matt-Gold Leaf / **Code 23259**
 Color White Matt-Gold Leaf / **Code 23260**








Power 30W
 Input 220-240V, 50/60Hz
 Color Temperature 2700K | 3000K
 Lumen 1420Lm | 1564Lm
 Cri 90
 Dimensions Ø: 35cm H: 16.2cm
 Base Ø: 14cm H: 4.2cm
 Glass Ø: 35cm H: 12cm
 Dimmable Triac
 Material Metal - Aluminium - Acrylic - Glass
 Color Black Matt-Tawny Glass / **Code 25278**
 Color Black Matt-Smoked Glass / **Code 25279**






Power	30W
Input	220-240V, 50/60Hz
Color Temperature	2700K 3000K
Lumen	1800Lm 1883Lm
Cri	90
Dimensions	Ø: 50cm H: 11cm
Base	Ø: 12cm H: 4cm
Dimmable Triac	☉
Material	Aluminium - Glass
Color	Black Matt-Tawny Glass / Code 25268
Color	Black Matt-Smoked Glass / Code 25269





Power	52W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2230Lm
Cri	90
Dimensions	Ø: 80cm H: 6cm
Base	L: 66cm W: 8cm H: 4cm
Dimmable Triac	☉
Material	Metal - Aluminium - PVC
Special Feature	Sticks Ø: 1.5cm H: 72cm Ø: 1.5cm H: 37cm
Color	Sandy Brick Red-Black Matt / Code 2571
Color	Sandy Grey-Black Matt / Code 2572





Power 20W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2300Lm
 Cri 80
 Dimensions Ø: 38cm H: 6.5cm
 Base Ø: 33cm H: 2cm
 Dimmable Triac
 Material Metal - Acrylic
 Color White Matt / **Code 22127**
 Black Matt / **Code 22128**







Power	28W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1568Lm
Cri	85
Dimensions	Ø: 40cm H: 7cm
Dimmable Triac	○
Material	Aluminium - Acrylic
Color	White Matt / Code 25376
Color	Black Matt / Code 25377





Power 31W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1766Lm
 Cri 90
 Dimensions Ø: 42.5cm H: 6cm
 Base L: 35cm W: 5cm H: 4cm
 Non Dimmable
 Material Metal - Aluminium - Silicon
 Color Sandy White / **Code 2075**




Power 39W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2084Lm
 Cri 90
 Dimensions Ø: 52.5cm H: 6cm
 Base L: 43cm W: 5cm H: 4cm
 Non Dimmable
 Material Metal - Aluminium - Silicon
 Color Sandy Black / **Code 2076**
 Sandy White / **Code 2077**








Power	45W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3040Lm
Cri	80
Dimensions	L: 51cm W: 41cm H: 12cm
Base	L: 21cm W: 5cm H: 4.5cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Aluminium - Silicon
Color	Sandy Black / Code 2064
Color	Sandy White / Code 2065






Power 23W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1856Lm
Cri 90
Dimensions L: 80cm W: 45cm H: 3cm
Beam Angle 24°
Dimmable Triac
Material Metal - Aluminium
Color Sandy Black / Code 23042








Power 32W + 4x5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 5700Lm
 Cri 80
 Dimensions L: 90cm W: 67cm H: 12-17cm
 Base L: 18cm W: 10.5cm H: 6cm
 Spots Dimensions Ø: 4.5cm L: 8cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature Profile 2x1.7cm
 Movable Spots
 Color Sandy Black / **Code 22020**











Power	52W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	4400Lm
Cri	80
Dimensions	L: 90cm W: 67cm H: 8.5cm
Base	L: 18cm W: 18cm H: 8.5cm
Dimmable Triac	☉
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.7cm
Color	Sandy Black / Code 2020
Color	Sandy White / Code 2021
Color	Gold Matt / Code 2022



Power	48W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	3360Lm
Cri	80
Dimensions	L: 56cm W: 56cm H: 8.5cm
Base	L: 14cm W: 14cm H: 8.5cm
Dimmable Triac	☉
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.7cm
Color	Sandy Black / Code 2023
Color	Sandy White / Code 2024
Color	Gold Matt / Code 2025



Power	28W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2000Lm
Cri	80
Dimensions	L: 46cm W: 46cm H: 6.5cm
Base	L: 14cm W: 14cm H: 6.5cm
Dimmable Triac	☉
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.7cm
Color	Sandy Black / Code 2026
Color	Sandy White / Code 2027
Color	Gold Matt / Code 2028





Power	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	960Lm
Cri	80
Dimensions	L: 32cm W: 32cm H: 5.5cm
Base	L: 12.5cm W: 12.5cm H: 3.5cm
Dimmable Triac	☉
Material	Aluminium - Acrylic
Special Feature	Profile 2x1.7cm
Color	Sandy Black / Code 2029
Color	Sandy White / Code 2030
Color	Gold Matt / Code 2031



Light That Shapes Your Space
Enhance your wall with lights
that create inviting atmosphere.




02 . WALL




Bulb 3x G9
 Power 7W MAX
 Input 220-240V, 50/60Hz
 Dimensions L: 15cm W: 34cm H: 61.5cm
 Base Ø: 12cm H: 2.5cm
 Material Metal - Aluminium - Glass
 Special Feature Smoked Glasses Ø: 12cm
 Color Sandy Black-Gold Matt-
 Smoked Glass-Opal Glass / **Code 25414**








Bulb	1x G9 LED
Power	4W MAX
Dimensions	L: 14.5cm W: 16.4cm H: 15.6cm
Base	Ø: 12cm L: 2cm
Glass	Ø: 12cm
Material	Metal - Aluminium - Glass
Color	Sandy White-Smoked Glass / Code 2577
Color	Gold Matt-Smoked Glass / Code 2578




Bulb	1x G9 LED
Power	4W MAX
Dimensions	L: 16.6cm W: 20.5cm H: 19.5cm
Base	Ø: 15cm L: 2cm
Glass	Ø: 15cm
Material	Metal - Aluminium - Glass
Color	Sandy White-Smoked Glass / Code 2579
Color	Gold Matt-Smoked Glass / Code 2580




Power	10W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1170Lm, 965Lm
Cri	80
Dimensions	Ø: 30cm L: 14.8cm
Base	Ø: 13cm L: 3cm
Dimmable Triac	○
Material	Metal - Aluminium - Acrylic - Glass
Color	Brushed Brass-Clear Glass / Code 25143
Color	Sandy Black-Smoked Glass / Code 25144



Bulb	1x E14 LED
Power	8W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 12.5cm W: 20cm H: 27.5cm
Base	Ø: 15.5cm L: 2.5cm
Material	Metal - Glass
Color	Sandy Black-Gold / Code 22047
Color	Sandy Black-Chrome / Code 22048







Power	2x 6W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	643Lm
Cri	90
Dimensions	Ø: 3.2cm L: 6.2cm H: 40cm
Base	L: 3cm W: 2.2cm H: 10cm
Beam Angle	24°
Non Dimmable	☒
Material	Metal - Aluminium
Color	Sandy White / Code 25217
Color	Sandy Black / Code 25218
Color	Brass / Code 25219

- 3.2 -






Power	26W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	950Lm
Cri	90
Dimensions	L: 5.6cm W: 40cm H: 46cm
Base	Ø: 15cm L: 4cm
Dimmable Triac	☉
Material	Metal - Aluminium - Acrylic
Color	Black Matt / Code 25408
Color	Brushed Gold / Code 25409




Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 295Lm
 Cri 80
 Dimensions L: 4.5cm W: 30.4cm H: 40.2cm
 Base L: 4.5cm W: 3.5cm H: 15.5cm
 Ring Ø: 30.4cm
 Non Dimmable ☒
 Material Metal - Aluminium - Acrylic
 Color Sandy Black / **Code 25319**




Power 23W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 695Lm
 Cri 80
 Dimensions L: 4.5cm W: 49.7cm H: 61.5cm
 Base L: 4.5cm W: 3.5cm H: 17.5cm
 Ring Ø: 49.7cm
 Non Dimmable ☒
 Material Metal - Aluminium - Acrylic
 Color Sandy Black / **Code 25320**







Power 19W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1260Lm
 Cri 80
 Dimensions L: 6cm W: 102cm H: 20cm
 Base Ø: 6.5cm L: 6cm
 Non Dimmable ☒
 Material Metal - Aluminium - Silicon
 Color Black Matt-Gold Matt / **Code 25267**




Power 14W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 880Lm
 Cri 80
 Dimensions L: 6cm W: 65cm H: 13cm
 Base Ø: 5.5cm L: 6cm
 Non Dimmable ☒
 Material Metal - Aluminium - Silicon
 Color Black Matt-Gold Matt / **Code 25266**






Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 890Lm
 Cri 80
 Dimensions L: 13.5cm W: 6.5cm H: 56.8cm
 Base L: 3.8cm W: 4.5cm H: 28.5cm
 Opal Glass Ø: 5cm H: 41.6cm
 Dimmable Triac
 Material Metal - Glass
 Color Brushed Brass-Opal Glass / **Code 25152**







Power 11W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 621Lm
 Cri 80
 Dimensions L: 8.5cm W: 10cm H: 40cm
 Base Ø: 6.8cm L: 8.5cm
 Dimmable Triac
 Material Aluminium - PC Diffuser
 Special Feature Profile 1.5x1.5cm
 Color Gold Matt-Black Matt / **Code 23106**




Power 13W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 710Lm
 Cri 80
 Dimensions L: 8.5cm W: 10cm H: 60cm
 Base Ø: 6.8cm L: 8.5cm
 Dimmable Triac
 Material Aluminium - PC Diffuser
 Special Feature Profile 1.5x1.5cm
 Color Gold Matt-Black Matt / **Code 23107**






Power	13W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	765Lm
Cri	80
Dimensions	L: 6cm W: 12.3cm H: 48.2cm
Base	Ø: 12.3cm L: 6cm
Dimmable Triac	☉
Material	Aluminium - Silicon
Special Feature	Profile 2x1.5cm
Color	Black Matt-Gold Matt Ring / Code 23102
Color	Gold Matt-Black Matt Ring / Code 23103




Power 21W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 1271Lm
Cri 80
Dimensions L: 17.5cm W: 7.5cm H: 60cm
Base W: 7.5cm H: 20cm
Dimmable Triac
Material Metal - Aluminium - Acrylic
Color Sandy Black / **Code 1936**
Color Gold Matt / **Code 1935**







Power 13W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 777Lm
 Cri 80
 Dimensions L: 4.5cm W: 50cm H: 50cm
 Base L: 4.5cm W: 10cm H: 10cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature Profile 1.5x1.5cm
 Color Gold Matt / **Code 23104**





Power 24W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1163Lm
 Cri 80
 Dimensions L: 4.5cm W: 100cm H: 100cm
 Base L: 4.5cm W: 10cm H: 10cm
 Dimmable Triac
 Material Aluminium - Acrylic
 Special Feature Profile 1.5x1.5cm
 Color Gold Matt / **Code 23105**







Power 10W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 672Lm
Cri 80
Dimensions L: 4cm W: 35cm H: 55.4cm
Base L: 4cm W: 12cm H: 12cm
Dimmable Triac
Material Metal - Aluminium - Acrylic
Special Feature Profile 2x1.6cm
Color Sandy Black / **Code 25148**




Power	14W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	404Lm
Cri	80
Dimensions	L: 8cm W: 20cm H: 100cm
Base	L: 4cm W: 20cm H: 5cm
Non Dimmable	☒
Material	Metal - Aluminium - Acrylic
Special Features	Rotatable Arm Profile 1.2x1.6cm
Color	Sandy Black / Code 25318



Power	10W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	232Lm
Cri	80
Dimensions	L: 8cm W: 20cm H: 60cm
Base	L: 4cm W: 20cm H: 5cm
Non Dimmable	☒
Material	Metal - Aluminium - Acrylic
Special Features	Rotatable Arm Profile 1.2x1.6cm
Color	Sandy Black / Code 25317





Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 319Lm
 Cri 80
 Dimensions L: 5cm W: 3.5cm H: 81cm
 Base L: 5cm W: 3.5cm H: 20cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature Profile 1x1.6cm
 Color Sandy Black / **Code 25321**





Power 14W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 489Lm
 Cri 80
 Dimensions L: 7cm W: 3.5cm H: 121cm
 Base L: 7cm W: 3.5cm H: 20cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature Profile 1x1.6cm
 Color Sandy Black / **Code 25322**






Power 20W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1506Lm
 Cri 80
 Dimensions Ø: 1.6cm L: 17cm H: 100cm
 Base Ø: 5.5cm L: 15cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Special Feature Rotatable Arm
 Profile Ø: 1.6cm
 Color Black Matt / **Code 20116**
 Color Gold Matt / **Code 20117**






Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 838Lm
 Cri 80
 Dimensions Ø: 1.6cm L: 17cm H: 60cm
 Base Ø: 5.5cm L: 15cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Special Feature Rotatable Arm
 Profile Ø: 1.6cm
 Color Black Matt / **Code 20114**
 Color Gold Matt / **Code 20115**







Power 20W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1899Lm
 Cri 80
 Dimensions L: 5cm W: 14cm H: 61cm
 Dimmable Triac
 Material Metal - Aluminium - Acrylic
 Special Feature Profile 2x1.6cm
 Left - Right - Back Light
 Color Sandy Black / **Code 25147**







Power 25W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 650Lm
 Cri 90
 Dimensions L: 5cm W: 20cm H: 61cm
 Base L: 5cm W: 17cm H: 4cm
 Dimmable Triac
 Material Metal - Aluminium - PVC
 Special Feature Profile 1.5x3.5cm
 Color Sandy Black / **Code 2582**




Power 40W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1020Lm
 Cri 90
 Dimensions L: 5cm W: 22.3cm H: 91cm
 Base L: 5cm W: 17cm H: 4cm
 Dimmable Triac
 Material Metal - Aluminium - PVC
 Special Feature Profile 1.5x3.5cm
 Color Sandy Black / **Code 2584**








Power	20W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	908Lm
Cri	80
Dimensions	L: 10cm W: 48cm H: 55cm
Base	L: 3cm W: 5.5cm H: 15.5cm
Non Dimmable	<input checked="" type="checkbox"/>
Material	Metal - Aluminium - Acrylic
Special Feature	Profile 1x3cm
Color	Black Matt / Code 1945








Power 14W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 Dimensions L: 6.3cm W: 30cm H: 122.5cm
 Base L: 5cm W: 30cm H: 4cm
 Non Dimmable
 Material Aluminium - Diffuser
 Special Feature Profile 1x1.3cm
 Color Black Matt / **Code 19117**



Power 13W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1300Lm
 Cri 90
 Dimensions Ø: 35cm H: 38cm L: 11.7cm
 Base Ø: 19.6cm L: 3.5cm
 Non Dimmable
 Material Metal - Aluminium
 Color Sandy Black-White Matt / **Code 1910**




Bulb 1x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Dimensions L: 60-100cm W: 20cm H: 85cm
 Base Ø: 8cm H: 2cm
 Material Metal - Aluminium
 Special Feature Shade Ø: 20cm
 Multi-directional - Extendable
 Color Black Matt-White / **Code 19218**





Bulb 1x G9 LED, 1x E27 LED
 Power 7W MAX, 8W MAX
 Input 220-240V, 50/60Hz
 Dimensions L: 22cm W: 12cm H: 85cm
 Base Ø: 12cm L: 2.5cm
 Material Metal - Glass - Opal Glass
 Special Feature Opal Glass Ø: 12cm
 Dark Champagne Glass Ø: 7cm H: 23cm
 Color Sandy Black-Antique Brass / **Code 22054**






Power 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 400Lm
 Cri 80
 Dimensions L: 13.5cm W: 16.5cm H: 25cm
 Base Ø: 10cm H: 3cm
 Non Dimmable ☒
 Material Metal - Opal Glass
 Color White / **Code 20137**




Power 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 400Lm
 Cri 80
 Dimensions L: 23.5cm W: 25cm H: 33cm
 Base Ø: 10cm H: 3cm
 Non Dimmable ☒
 Material Metal - Opal Glass
 Color White / **Code 20136**






Bulb	1x G9 LED
Power	7W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 21cm L: 12cm
Material	Metal - Opal Glass
Special Feature	Opal Glass Ø: 8cm
Color	Gold Matt / Code 23137




Power	7W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	600Lm
Cri	90
Dimensions	L: 9cm W: 14.5cm H: 37cm
Base	Ø: 13cm H: 3cm
Opal Glass	Ø: 14.5cm L: 5.5cm
Non Dimmable	☒
Material	Metal - Opal Glass
Color	Gold Matt / Code 22061






Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 640Lm
 Cri 80
 Dimensions Ø: 12.5cm L: 15cm H: 42cm
 Base Ø: 12cm H: 3cm
 Non Dimmable ☒
 Material Metal - Aluminium - Acrylic
 Special Feature Opal Diffuser Ø: 12.5cm
 Color Black Matt-Gold Matt / **Code 2003**




Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 640Lm
 Cri 80
 Dimensions Ø: 12.5cm H: 42cm
 Base Ø: 15cm H: 0.5cm
 Non Dimmable ☒
 Material Metal - Aluminium - Acrylic
 Special Feature Opal Diffuser Ø: 12.5cm
 Color Black Matt-Gold Matt / **Code 2004**








Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 420Lm
 Cri 80
 Dimensions Ø: 18cm L: 6cm
 Non Dimmable ☒
 Material Metal - Acrylic
 Color Brushed Brass / **Code 20349**




Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 700Lm
 Cri 80
 Dimensions Ø: 24cm L: 6cm
 Non Dimmable ☒
 Material Metal - Acrylic
 Color Brushed Brass / **Code 20350**






Power 11W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 576Lm
 Cri 80
 Dimensions Ø: 6cm L: 9cm H: 40cm
 Base L: 3cm W: 4cm H: 12cm
 Non Dimmable
 Material Stainless Steel - Acrylic
 Color Brass-Black Matt / **Code 23041**





Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1222Lm
 Cri 90
 Dimensions L: 17cm W: 11cm H: 40cm
 Glass Ø: 11cm H: 14.5cm
 Base Ø: 11.5cm L: 4.5cm
 Dimmable Triac
 Material Metal - Clear Glass - Opal Glass
 Color Gold Matt / **Code 23016**





Power	25W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1530Lm
Cri	80
Dimensions	L: 14.7cm W: 37cm H: 9.7cm
Base	L: 3.7cm W: 36cm H: 5.5cm
Shades	Ø: 10cm H: 6.5cm
Dimmable Triac	☉
Material	Metal - Aluminium - Plastic
Special Feature	359° Movable Shades
Color	Sandy Black Base-Champagne Shades / Code 25342
Color	Sandy Black Base-Brushed Nickel Shades / Code 25343






Bulb 1x G9 LED
 Power 7W MAX
 Input 220-240V, 50/60Hz
 Dimensions L: 8cm W: 26cm H: 36cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 8cm
 Color Sandy Olive Green-Painted Gold / **Code 22203** 
 Color Terracotta-Painted Gold / **Code 22204** 
 Color Elephant Grey-Sandy Black / **Code 22205** 







Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 420Lm
 Cri 80
 Dimensions L: 9cm W: 9cm H: 30cm
 Non Dimmable
 Material Metal
 Color White Matt / **Code 16155**



Bulb 1x E14
 Power 5W MAX
 Input 220-240V, 50/60Hz
 Dimensions L: 18cm W: 11cm H: 18cm
 Base Ø: 12cm H: 2cm
 Material Metal - Aluminium
 Color White Matt-Gold Matt / **Code 20218**
 Grey Matt-Gold Matt / **Code 20219**





Power 9.2W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 460Lm
 Cri 80
 Dimensions Ø: 25cm L: 5.5cm
 Material Gypsum
 Color Pure White / **Code 20272**




Power 7.5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 375Lm
 Cri 80
 Dimensions Ø: 15cm L: 4.1cm
 Material Gypsum
 Color Pure White / **Code 20271**







Bulb 2x G9
 Power 25W MAX
 Input 220-240V, 50/60Hz
 Dimensions L: 7cm W: 11cm H: 18cm
 Material Gypsum
 Special Feature Up-Down Lighting
 Color Pure White / **Code 25383**

Bulb 2x G9
 Power 25W MAX
 Input 220-240V, 50/60Hz
 Dimensions L: 7cm W: 11cm H: 18cm
 Material Concrete
 Special Feature Up-Down Lighting
 Color Concrete / **Code 25384**







Bulb 1x G9
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 13cm W: 13cm H: 15cm
 Material Concrete
 Special Feature Up-Down Lighting
 Color Concrete / **Code 180021**




Bulb 1x G9
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 11.5cm W: 11.5cm H: 11.5cm
 Material Concrete
 Special Feature Up-Down Lighting
 Color Concrete / **Code 180023**



Bulb 1x E27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Dimensions L: 12cm W: 30cm H: 17cm
 Material Concrete
 Special Feature Up-Down Lighting
 Color Concrete / **Code 180020**





Bulb 2x GU10
 Power MAX 25W
 Input 220-240V, 50/60Hz
 Dimensions L: 7cm W: 7.5cm H: 16cm
 Material Concrete
 Special Feature Up-Down Lighting
 Color Concrete / **Code 180022**





Power 6W
Input 220-240V, 50/60Hz
Color Temperature 3000K, 4000K
Lumen 536Lm, 597Lm
Cri 80
Dimensions L: 8cm W: 18cm H: 8.5cm
Non Dimmable
Material Gypsum
Color Pure White / **Code 25381**





Power 8.25W
Input 220-240V, 50/60Hz
Color Temperature 3000K
Lumen 625Lm
Cri 80
Dimensions L: 4.5cm W: 30cm H: 8cm
Non Dimmable ☒
Material Gypsum
Special Feature Up-Down Lighting
Color Pure White / **Code 25380**







Bulb 1x G9
 Power 25W MAX
 Input 220-240V, 50/60Hz
 Dimensions L: 10cm W: 18cm H: 9cm
 Material Gypsum
 Special Feature Up-Down Lighting
 Color Pure White / **Code 25382**





Power 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 510Lm
 Cri 80
 Dimensions L: 6cm W: 10cm H: 16cm
 Non Dimmable
 Material Gypsum
 Special Feature Up-Down Lighting
 Color Pure White / **Code 25379**




Bulb 1x G9
 Power 25W MAX
 Input 220-240V, 50/60Hz
 Dimensions L: 14.5cm W: 32cm H: 5.5cm
 Material Gypsum
 Special Feature Up-Down Lighting
 Color Pure White / **Code 180026**



Bulb 1x G9
 Power 25W MAX
 Input 220-240V, 50/60Hz
 Dimensions L: 8.5cm W: 20cm H: 12cm
 Material Gypsum
 Special Feature Up-Down Lighting
 Color Pure White / **Code 180025**



Bulb 1x G9
 Power 25W MAX
 Input 220-240V, 50/60Hz
 Dimensions L: 13cm W: 15cm H: 13cm
 Material Gypsum
 Special Feature Up-Down Lighting
 Color Pure White / **Code 180028**




Bulb 1x G9
 Power 25W MAX
 Input 220-240V, 50/60Hz
 Dimensions L: 10cm W: 20cm H: 6cm
 Material Gypsum
 Special Feature Up Lighting
 Color Pure White / **Code 180027**



Warm Glow - Flexible Placement
Create cozy corners with floor and
table lights.




03. FLOOR & TABLE




Bulb	1x G9 LED
Power	9W MAX
Dimensions	Ø: 12cm H: 18.8cm
Base	Ø: 12cm H: 6cm
Opal Glass	Ø: 12cm
Material	Metal - Clay - Opal Glass
Special Feature	150cm Black Cable Available
Color	Olive Green-Black / Code 2589
Color	Terracotta-Black / Code 2590



Bulb 2x G9 LED
Power 9W MAX
Dimensions Ø: 28.5cm H: 40.5cm
Base Ø: 18cm H: 0.5cm
Material Metal - Clay
Special Feature 150cm Black Cable Available
Color Terracotta-Sandy Black / **Code 2593**
Color Grey-Sandy Black / **Code 2594**




Bulb 1x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 35cm H: 55cm
 Shade Ø: 35cm H: 22cm
 Material Stone - Fabric Shade
 Special Feature 150cm Black Cable Available
 Color Natural Stone-White Shade / **Code 25428**




Bulb 1x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 30cm H: 41.8cm
 Shade Ø: 30cm H: 14.8cm
 Material Stone - Acrylic
 Special Feature 150cm Transparent Cable Available
 Color Natural Stone-Opal / **Code 25427**






Bulb 2x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 29.5cm H: 48cm
 Shade Ø: 29.5cm H: 13cm
 Material Metal - Ceramic
 Special Feature 150cm Cable Available
 Movable Shade
 Color Black / **Code 23006**
 Color Beige / **Code 23007**





Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1554Lm
 Cri 80
 Dimensions Ø: 42cm H: 162cm
 Glass Ø: 42cm H: 13cm
 Base Ø: 29cm H: 1.5cm
 Non Dimmable ☒
 Material Metal - Smoked Glass
 Special Feature 150cm Cable Available
 Movable Shade


Color Black Matt / **Code 23055**





Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1554Lm
 Cri 80
 Dimensions Ø: 42cm H: 52cm
 Glass Ø: 42cm H: 13cm
 Base Ø: 29cm H: 1cm
 Non Dimmable ☒
 Material Metal - Smoked Glass
 Special Feature 150cm Cable Available
 Movable Shade

Color Black Matt / **Code 23054**







Power	23W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	2461Lm
Cri	80
Dimensions	Ø: 32cm H: 53cm
Base	Ø: 20cm H: 3cm
Non Dimmable	☒
Material	Metal - Smoked Glass - Opal Glass
Special Feature	150cm Cable Available
Color	Black Matt / Code 23085



Power 5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 400Lm
 Cri 80
 Dimensions Ø: 21cm H: 155cm
 Base Ø: 21cm H: 1cm
 Non Dimmable ☒
 Material Metal - Aluminium
 Special Feature 150cm Cable Available
 Lamp Ø: 6.5cm
 Movable
 Color Sandy Black / **Code 20109**







Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 611Lm
 Cri 90
 Dimensions L: 40.5cm W: 30cm H: 146.5cm
 Base Ø: 30cm H: 2cm
 Shade Ø: 10cm H: 6.5cm
 Dimmable Touch
 Material Metal - Aluminium - Plastic
 Special Feature 359° Movable Shade
 150cm Cable Available

 Color Sandy Black Base-Champagne Shades / **Code 25344**
 Color Sandy Black Base-Brushed Nickel Shades / **Code 25345**






Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	810Lm
Cri	80
Dimensions	L: 52cm W: 25cm H: 156.5cm
Base	Ø: 25cm H: 0.5cm
Dimmable	☉
Material	Metal - Aluminium - Acrylic
Special Feature	120cm Cable Available Movable Light Deflectors 3 Step Dimming
Color	Brushed Gold / Code 25194




Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 420Lm
 Cri 80
 Dimensions L: 27.5cm W: 16cm H: 51cm
 Base Ø: 16cm H: 0.5cm
 Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature 120cm Cable Available
 Dimming Switch On Cable
 Movable Light Deflectors
 Color Brushed Gold / **Code 25193**







Bulb	1x E27
Power	25W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 30cm H: 47cm
Base	Ø: 10cm H: 30cm
Material	Metal
Special Feature	150cm Cable Available
Color	Black Matt / Code 20210
Color	Gold Matt / Code 20211




Bulb 1x E27
Power 25W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 20cm H: 40cm
Base Ø: 14cm H: 0.5cm
Material Metal - Glass
Special Feature 150cm Cable Available
Color Gold Matt-Opal Glass / **Code 20252**







Bulb	1x E27
Power	25W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 20cm H: 44cm
Base	Ø: 11cm H: 19cm
Material	Metal - Marble - Glass
Special Feature	150cm Cable Available
Color	White Marble-Champagne-Antique Brass / Code 20253




Power	17W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1050Lm
Cri	80
Dimensions	Ø: 12cm H: 152cm
Base	Ø: 22cm H: 0.5cm
Non Dimmable	☒
Material	Metal - Acrylic - Glass
Special Feature	120cm Cable Available
Color	Gold Matt-Champagne Glass / Code 23063
Color	Black Matt-Smoked Glass / Code 23064





Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 490Lm
 Cri 80
 Dimensions Ø: 12cm H: 35cm
 Base Ø: 13cm H: 0.5cm
 Non Dimmable
 Material Metal - Acrylic - Glass
 Special Feature 120cm Cable Available
 Color Gold Matt-Champagne Glass / **Code 23060**
 Color Black Matt-Smoked Glass / **Code 23061**







Bulb	1x G9 LED
Power	5W MAX
Input	220-240V, 50/60Hz
Dimensions	L: 31cm W: 26cm H: 145cm
Smoked Glass	Ø: 18cm H: 23cm
Base	Ø: 26cm W: 3.5cm
Material	Metal - Smoked Glass Outside Opal Glass Inside - Black Marble Base
Special Feature	150cm Cable Available Opal Glass Ø: 10cm
Color	Sandy Black-Black Marble / Code 22053




Bulb 1x E14 LED
Power 8W MAX
Input 220-240V, 50/60Hz
Dimensions L: 24cm W: 24cm H: 110cm
Base L: 24cm W: 24cm H: 3cm
Glass Ø: 8cm H: 18.5cm
Material Metal - Clear Glass - Frost White Glass
Special Feature 150cm Cable Available
Color Sandy Black-Antique Brass / **Code 22136**






Power 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 480Lm
 Cri 80
 Dimensions Ø: 11cm H: 42cm
 Base Ø: 14cm H: 0.5cm
 Non Dimmable ☒
 Material Metal - Opal Glass
 Special Feature 100cm Cable Available
 Glass Ø: 11cm
 Color Black Matt / **Code 20134**





Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 960Lm
 Cri 80
 Dimensions Ø: 16cm H: 160cm
 Base Ø: 22cm H: 0.5cm
 Non Dimmable ☒
 Material Metal - Opal Glass
 Special Feature 200cm Cable Available
 Glass Ø: 16cm | Ø: 11cm
 Color Black Matt / **Code 20135**






Power 2.5W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 178Lm
 Cri 80
 Dimensions Ø: 12cm H: 38.5cm
 Base Ø: 12cm H: 2.5cm
 Spot Dimension Ø: 3cm L: 11cm
 Non Dimmable
 Switch On/Off
 Material Metal - Aluminium
 Special Feature Movable Spot
 Color Black Matt / **Code 23036**
 Color Gold Matt / **Code 23037**







Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 560Lm
 Cri 80
 Dimensions Ø: 22cm H: 151cm
 Base Ø: 22cm H: 0.5cm
 Spots Dimension Ø: 4cm L: 23cm
 Non Dimmable ☒
 Material Metal - Aluminium
 Special Feature Movable Spots
 Color Sandy Black-Gold / **Code 22032**





Power 4W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 300Lm
 Cri 80
 Dimensions L: 23cm W: 18cm H: 50cm
 Base Ø: 18cm H: 0.5cm
 Spot Dimension Ø: 4cm L: 23cm
 Non Dimmable ☒
 Material Metal - Aluminium
 Special Feature Movable Spot
 Color Sandy Black - Gold / **Code 22030**






Power 20W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1600Lm
 Cri 80
 Dimensions Ø: 16cm H: 150cm
 Base Ø: 16cm H: 0.5cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Color Black Matt / **Code 20123**






Power 8W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 640Lm
 Cri 80
 Dimensions Ø: 12cm H: 46cm
 Base Ø: 12cm H: 0.5cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Color Black Matt / **Code 20118**







Power	12W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	1200Lm
Cri	80
Dimensions	Ø: 25cm H: 160cm
Base	Ø: 25cm H: 0.5cm
Material	Metal - Acrylic
Non Dimmable	☒
Special Feature	150cm Cable Available Shade Ø: 16cm H: 2cm Uplight
Color	Sandy Black / Code 22065






Bulb 1x E14
 Power 25W MAX
 Input 220-240V, 50/60Hz
 Dimensions L: 17cm H: 42cm
 Base Ø: 13cm H: 2cm
 Material Metal - Aluminium
 Special Feature 150cm Cable Available
 Color Black Matt-Gold Matt / **Code 20217**




Bulb 1x E27
 Power 25W MAX
 Input 220-240V, 50/60Hz
 Dimensions L: 45cm H: 159cm
 Base Ø: 25cm H: 2.5cm
 Material Metal - Aluminium
 Special Feature 150cm Cable Available
 Color Black Matt-Gold Matt / **Code 20216**






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 30cm H: 50cm
Shade Ø: 30cm H: 20cm
Material Metal - Thread String Cord - Fabric
Special Feature 120cm Cable Available
Color Natural-Light Beige / **Code 20235**




Bulb 1x E14
 Power 25W MAX
 Input 220-240V, 50/60Hz
 Dimensions L: 24cm H: 44cm
 Base Ø: 13cm H: 2.5cm
 Material Metal - Aluminium
 Special Feature 150cm Cable Available
 Color Grey Matt-Gold Matt / **Code 20220**




Bulb 1x E27
 Power 25W MAX
 Input 220-240V, 50/60Hz
 Dimensions L: 27cm H: 44cm
 Base Ø: 15cm H: 2.5cm
 Material Metal - Aluminium
 Special Feature 150cm Cable Available
 Color White Matt-Gold Matt / **Code 20222**





Bulb 1x E27
 Power 25W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 17cm H: 21cm
 Base Ø: 11cm H: 2.5cm
 Material Metal - Glass
 Special Feature 150cm Cable Available
 Color Transparent-Antique Brass / **Code 20251**




Bulb 1x E27
 Power 25W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 20cm H: 22cm
 Base Ø: 11cm H: 2.5cm
 Material Metal - Glass
 Special Feature 150cm Cable Available
 Color Transparent-Antique Brass / **Code 20250**

Embrace the Bohemian Glow
Soft lighting made from nature's finest.



04. BAMBOO & RATTAN







Bulb 1x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm L: 27cm
 Base Ø: 10cm H: 2.5cm
 Material Metal - Paper Rope
 Special Features 200cm Gold Fabric Cable Adjustable
 Color Natural Rope-Brown Beige / **Code 25334**






Bulb 1x E27
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 50cm H: 40cm
Base Ø: 10cm H: 2cm
Material Metal - Raffia
Special Features 200cm Gold Fabric Cable Adjustable
Color Natural-Gold Matt Base / **Code 23197**






Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 50cm H: 32cm
Base	Ø: 12cm H: 2.5cm
Material	Metal - Seaweed
Special Features	200cm Gold Fabric Cable Adjustable
Color	Natural-Brown Beige / Code 25443




Bulb 1x E27
 Power 20W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 35cm H: 52cm
 Base Ø: 10cm H: 2cm
 Material Metal - Rattan
 Special Features 200cm Gold Fabric Cable Adjustable
 Color Natural-Gold Matt Base / **Code 23195**






Bulb 1x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 50cm H: 21cm
 Base Ø: 12cm H: 2.5cm
 Material Metal - Paper Rope
 Special Features 200cm Gold Fabric Cable Adjustable
 Color Natural-Brown Beige / Code **25440**




Bulb 1x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm H: 18cm
 Base Ø: 12cm H: 2.5cm
 Material Metal - Paper Rope
 Special Features 200cm Gold Fabric Cable Adjustable
 Color Natural-Brown Beige / Code **25429**







Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 48cm H: 35cm
Base Ø: 10cm H: 2cm
Material Metal - Paper Rope
Special Feature 200cm Cable Adjustable
Color Natural-Black Matt / **Code 20237**






Bulb 1x E27
 Power 20W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm H: 80cm
 Base Ø: 10cm H: 2.2cm
 Material Metal - Rattan
 Special Features 200cm Gold Fabric Cable Adjustable
 Color Natural-Gold Matt Base / **Code 23196**







Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 53cm H: 24cm
Base	Ø: 12cm H: 2.5cm
Material	Metal - Rattan
Special Features	200cm Gold Fabric Cable Adjustable
Color	Natural-Brown Beige / Code 25442




Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Dimensions	Ø: 48cm H: 38cm
Base	Ø: 12cm H: 2.5cm
Material	Metal - Rattan
Special Features	200cm Gold Fabric Cable Adjustable
Color	Natural-Brown Beige / Code 25441




Bulb 1x E27
Power 20W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 65cm H: 45cm
Base Ø: 8cm H: 3.5cm
Material Metal - Bamboo
Special Feature 200cm Black Fabric Cable Adjustable
Color Brown-Sandy Black / **Code 22172** 






Bulb 1x E27
 Power 20W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 22cm H: 20cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Braided Wheat
 Special Feature 200cm Black Fabric Cable Adjustable
 Color Natural-Sandy Black / **Code 22166**





Bulb 1x E27
 Power 20W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 18cm H: 21cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Braided Wheat
 Special Feature 200cm Black Fabric Cable Adjustable
 Color Natural-Sandy Black / **Code 22167**




Bulb 1x E27
 Power 20W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 22cm H: 45cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Braided Wheat
 Special Feature 200cm Black Fabric Cable Adjustable
 Color Natural-Sandy Black / **Code 22168**









Bulb 1x E27
 Power 20W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm L: 10.5cm
 Base Ø: 8cm H: 2.5cm
 Material Metal - Bush
 Color Natural-Sandy Black / Code 22175




Bulb 1x E27
 Power 20W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm H: 10cm
 Base Ø: 8cm H: 3.5cm
 Material Metal - Bush
 Special Feature 200cm Black Fabric Cable Adjustable
 Color Natural-Sandy Black / Code 22173




Bulb 1x E27
 Power 20W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm L: 11.5cm
 Base Ø: 8cm H: 2.5cm
 Material Metal - Bush
 Color Natural-Sandy Black / Code 22174







Bulb 1x E27
 Power 20W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 50cm L: 11cm
 Base Ø: 10cm L: 2.5cm
 Material Metal - Rattan
 Color Natural / **Code 25332**
 Color Black / **Code 25333**





Bulb 1x E27
 Power 20W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 25cm L: 11cm
 Base Ø: 10cm L: 2.5cm
 Material Metal - Rattan
 Color Natural / **Code 25454**
 Color Black / **Code 25455**







Bulb 1x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 80cm L: 8cm
 Base Ø: 8cm H: 2.5cm
 Material Metal - Bamboo
 Color Natural-White / **Code 19250**



Bulb 1x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 60cm L: 8cm
 Base Ø: 8cm H: 2.5cm
 Material Metal - Bamboo
 Color Natural-Black / **Code 19252**



Bulb 1x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm L: 8cm
 Base Ø: 8cm H: 2.5cm
 Material Metal - Bamboo
 Color Natural-White / **Code 19251**
 Color Natural-Black / **Code 19253**






Bulb 1x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 60cm H: 1.5cm
 Base Ø: 12cm H: 6cm
 Material Metal - Bamboo
 Special Feature 150cm Cable Adjustable
 Color Natural-Black / **Code 19104**




Bulb 1x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm H: 1.5cm
 Base Ø: 10cm H: 5cm
 Material Metal - Bamboo
 Special Feature 150cm Cable Adjustable
 Color Natural-Black / **Code 19105**






Bulb 1x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 80cm H: 1.5cm
 Base Ø: 12cm H: 6cm
 Material Metal - Bamboo
 Special Feature 150cm Cable Adjustable
 Color Natural-White / **Code 19106**




Bulb 1x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm H: 1.5cm
 Base Ø: 10cm H: 5cm
 Material Metal - Bamboo
 Special Feature 150cm Cable Adjustable
 Color Natural-White / **Code 19107**






Bulb 1x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Dimensions L: 80cm W: 60cm H: 30cm
 Base Ø: 10cm H: 5cm
 Material Metal - Bamboo
 Special Feature 200cm Cable Adjustable
 Color Natural / **Code 19103**
 Color Black / **Code 19108**





Bulb 1x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Dimensions L: 80cm W: 60cm H: 37cm
 Base Ø: 8cm H: 2.5cm
 Material Metal - Bamboo
 Color Black / **Code 19109**






Bulb 1x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 23cm H: 60cm
 Base Ø: 10cm H: 2cm
 Material Metal - Bamboo
 Special Feature 200cm Cable Adjustable
 Color Natural-Black Matt / **Code 20154**




Bulb 1x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm H: 40cm
 Base Ø: 10cm H: 2cm
 Material Metal - Paper Rope
 Special Feature 200cm Cable Adjustable
 Color Natural-Black Matt / **Code 20236**




Bulb 1x E27
 Power 25W MAX
 Input 220-240V, 50/60Hz
 Dimensions Ø: 40cm H: 40cm
 Base Ø: 8cm H: 2cm
 Material Metal - Bush - Burlap
 Special Feature 150cm Cable Adjustable
 Color Natural-Black Matt / **Code 20354**







Bulb 1x E27
Power 11W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 18cm H: 36cm
Base Ø: 10cm H: 2.5cm
Material Metal - Paper
Special Feature 200cm Cable Adjustable
Color Natural-Black Matt / **Code 23071**




Bulb 1x E27
Power 11W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 60cm H: 20cm
Base Ø: 12cm H: 2.5cm
Material Metal - Paper
Special Feature 200cm Cable Adjustable
Color Natural-Black Matt / **Code 23070**






Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 55cm H: 70cm
Base Ø: 8cm H: 3.5cm
Material Rattan
Special Feature 150cm Cable Adjustable
Color Natural / **Code 18181** 





Bulb 1x E27
Power 40W MAX
Input 220-240V, 50/60Hz
Dimensions Ø: 60cm H: 100cm
Base Ø: 8cm H: 3.5cm
Material Metal - Straw
Special Feature 50cm Chain Adjustable
Color Natural Straw / **Code 17129** 




Smart Flow - Smart Glow
Elevate your comfort with
design-driven functionality.




05. FAN





LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	52.3" Ø: 132.8cm H: 17.5cm
Air Flow	188m ³ min
Night Mode	Time Setting 1h / 4h / 8h
Material	Metal - ABS
Special Feature	Summer & Winter Function Remote Control & Wall Switch Included
Motor Feature	DC Motor 31W 6 Speeds
Color	Black Matt / Code 25395
Color	White Matt / Code 25396



Light Kit for 25395




LED Light Source	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1600Lm
Cri	80
Material	Polycarbonate
Color	Opal / Code 25397

Light Kit for 25396




LED Light Source	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6000K
Lumen	1600Lm
Cri	80
Material	Polycarbonate
Color	Opal / Code 25398






LED Light Source Without Light
 Input 220-240V, 50/60Hz
 dB 20
 Dimensions 54" Ø: 137cm H: 21cm
 Air Flow 195m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - ABS
 Special Feature TUYA WiFi Remote Control
 Summer & Winter Function
 Motor Feature DC Motor 40W
 5 Speeds
 Color Black Matt / Code 20257






LED Light Source 20W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K, 6500K
 Lumen 1900Lm
 Cri 80
 dB 19
 Dimensions 22" Ø: 25cm(closed)-55cm(open) H: 21cm
 Air Flow 123m³ min
 Night Mode Time Setting 1h / 2h / 4h
 Material Metal - Polycarbonate
 Special Feature Summer & Winter Function
 Remote Control & Wall Switch Included
 Motor Feature DC Motor 32W
 6 Speeds
 Color Double Face White Matt-Transparent Blades / **Code 25329**





IP44



LED Light Source Without Light
 Input 220-240V, 50/60Hz
 dB 20
 IP 44
 Dimensions 52" Ø: 152cm H: 32-44.5cm
 Air Flow 164m³ min
 Night Mode Time Setting 1h / 4h / 8h
 Material Metal - ABS Blades
 Special Feature 2 Down Rods 12.5-25cm
 Summer & Winter Function
 Remote Control & Wall Switch Included
 Motor Feature DC Motor 40W
 6 Speeds
 Color White Matt / **Code 23003**
 Color Black Matt / **Code 23004**




Light Kit for 23003-23004





LED Light Source 18W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1600Lm
 Cri 80
 IP 44
 Material Polycarbonate
 Color Opal / **Code 23005**





LED Light Source Without Light
 Input 220-240V, 50/60Hz
 dB 23
 Dimensions 64" Ø: 163cm H: 37.5-50cm
 Air Flow 178m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - ABS
 Special Feature 2 Down Rods 12.5-25cm
 Summer Function
 Possibility of Installation on a Sloping Roof - 20°
 Motor Feature AC Motor 70W
 3 Speeds
 Color Black Matt / **Code 20258**






57



22


LED Light Source 32W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K, 6000K
 Lumen 2100Lm
 Cri 80
 dB 20
 Dimmable Light
 Dimensions Ø: 57cm H: 22cm
 Air Flow 123m³ min
 Night Mode Time Setting 2h / 4h
 Material Metal - Acrylic - ABS - Hemp Rope
 Special Feature Summer & Winter Function
 Remote Control & Wall Switch Included
 Motor Feature DC Motor 13W
 6 Speeds
 Color Double Face Natural- White / **Code 23001**






LED Light Source	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K, 6500K
Lumen	1500Lm
Cri	80
dB	23
Dimensions	52" Ø: 132cm H: 38-50.5cm
Air Flow	141.9m ³ min
Night Mode	Time Setting 1h / 2h / 4h
Material	Metal - Polycarbonate - Bamboo
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function Remote Control & Wall Switch Included
Motor Feature	DC Motor 45W 6 Speeds
Color Double Face	Natural-White / Code 25328






LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	20
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	134.6m ³ min
Night Mode	Time Setting 1h / 4h / 8h
Material	Metal - Palm Leaf
Special Feature	2 Down Rods 12.5-25cm Summer & Winter Function Remote Control & Wall Switch Included
Motor Feature	DC Motor 48W 5 Speeds
Color	Brown-Natural Palm Leaf Blades / Code 19139






LED Light Source Without Light
 Input 220-240V, 50/60Hz
 dB 20
 Dimensions 60" Ø: 152cm H: 31.5-44cm
 Air Flow 145.3m³ min
 Night Mode Time Setting 1h / 4h / 8h
 Material Metal - Wood
 Special Feature 2 Down Rods 12.5-25cm
 Summer & Winter Function
 Remote Control & Wall Switch Included
 Motor Feature DC Motor 40W
 6 Speeds
 Color Gold-Solid Walnut Wood Blades / **Code 23002**








LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	23
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	145.3m ³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Wood
Special Feature	2 Down Rods 12.5-25cm Summer Function
Motor Feature	AC Motor 62W 3 Speeds
Color	Brown-Cherry Wood Blades / Code 19143
Color	Black Matt-Cherry Wood Blades / Code 19143-B
Color	Chrome Matt-Natural Wood Blades / Code 19142






LED Light Source 18W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K, 6500K
 Lumen 1500Lm
 Cri 80
 dB 20
 Dimensions 52" Ø: 132cm H: 42.5-55cm
 Air Flow 156.3m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - Glass - Wood
 Special Feature 2 Down Rods 12.5-25cm
 Summer & Winter Function
 Remote Control & Wall Switch Included
 Motor Feature DC Motor 38W
 5 Speeds
 Color White Matt-Natural Wood Blades / **Code 19140**
 Color Black Matt-Natural Wood Blades / **Code 19141**






- LED Light Source 15W
- Input 220-240V, 50/60Hz
- Color Temperature 3000K, 4000K, 6000K
- Lumen 1500Lm
- Cri 80
- dB 25
- Dimensions 49" Ø: 124cm H: 26cm
- Air Flow 168m³ min
- Night Mode Time Setting 1h / 2h / 4h / 8h
- Material Metal - Polycarbonate - Plywood (MDF)
- Special Feature Summer Function
- Motor Feature AC Motor 55W
3 Speeds
- Color Double Face White Matt-Maple Wood Blades
White Matt-White Blades / **Code 19137**






LED Light Source	Without Light
Input	220-240V, 50/60Hz
dB	23
Dimensions	52" Ø: 132cm H: 32.5-45cm
Air Flow	175.3m ³ min
Night Mode	Time Setting 1h / 2h / 4h / 8h
Material	Metal - Wood
Special Feature	2 Down Rods 12.5-25cm Summer Function
Motor Feature	AC Motor 57W 3 Speeds
Color	Black Matt / Code 19136-B






LED Light Source Without Light
 Input 220-240V, 50/60Hz
 dB 20
 Dimensions 60" Ø: 152cm H: 32-44.5cm
 Air Flow 211.7m³ min
 Night Mode Time Setting 2h / 4h / 8h
 Material Metal - Wood
 Special Feature 2 Down Rods 12.5-25cm
 Summer & Winter Function
 Possibility of Installation on a Sloping Roof - 20°
 Remote Control & Wall Switch Included
 Motor Feature DC Motor 55W
 5 Speeds
 Color Black Matt-Solid Wood Blades / **Code 20259**





LED Light Source 18W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K, 6500K
 Lumen 1500Lm
 Cri 80
 dB 23
 Dimensions 52" Ø: 132cm H: 30cm
 Air Flow 141m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - Polycarbonate - Wood
 Special Feature Summer Function
 Motor Feature AC Motor 55W
 3 Speeds
 Color Black Matt-Cherry Wood Blades / **Code 19144**





LED Light Source 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K, 6000K
 Lumen 1500Lm
 Cri 80
 dB 20
 Dimensions 52" Ø: 132cm H: 37.5-50cm
 Air Flow 147.4m³ min
 Night Mode Time Setting 1h / 2h / 4h / 8h
 Material Metal - Acrylic - Wood
 Special Feature 2 Down Rods 12.5-25cm
 Summer & Winter Function
 Possibility of Installation on a Sloping Roof - 20°
 Remote Control & Wall Switch Included
 Motor Feature DC Motor 40W
 5 Speeds
 Color Coffee-Cherry Wood Blades / **Code 20256**




Illuminating Hospitality Excellence
Create unforgettable guest experiences
with elegant hotel lighting.



06. HOTEL




Code 25184 for Right Side Installation




Power 6W + 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 500Lm + 240Lm
 Cri 90
 Dimensions L: 11.2cm W: 30cm H: 12cm
 Non Dimmable
 Switch 2 On/Off
 Material Metal - Aluminium
 Special Feature Up Light
 Wireless Charger
 USB Charger Type C
 USB Charger Type A
 Right Side Installation
 Color Black Matt / **Code 25184**

Power 6W + 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 500Lm + 240Lm
 Cri 90
 Dimensions L: 11.2cm W: 30cm H: 12cm
 Non Dimmable
 Switch 2 On/Off
 Material Metal - Aluminium
 Special Feature Up Light
 Wireless Charger
 USB Charger Type C
 USB Charger Type A
 Left Side Installation
 Color Black Matt / **Code 25183**




LED	3W
Bulb	1x G9
Power	5W MAX
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	160Lm
Cri	90
Dimensions	L: 11.8cm W: 14.5cm H: 34cm
Base	L: 2.7cm W: 6.5cm H: 34cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	2 On/Off
Material	Metal - Aluminium - Opal Glass
Special Feature	Stick Ø: 2.9cm H: 11cm Opal Glass Ø: 14.5cm H: 8.5cm
Color	Black Matt / Code 25326







Power 3W + 6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm + 400Lm
 Cri 80
 Dimensions Ø: 14cm L: 8.1cm
 Base Ø: 10cm L: 2cm
 Non Dimmable ☒
 Switch 2 On/Off
 Material Aluminium - Acrylic
 Special Features Stick Ø: 2.8cm H: 11cm
 Back Light
 Color Black Matt / Code 25303







Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	145Lm
Cri	95
Dimensions	L: 4.1cm W: 8.6cm H: 8.6cm
Depth	3cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	On/Off
Material	Metal - Aluminium
Cutting Hole	4.5x4.5cm
Special Features	Recessed Installation Metal Plate with Magnetic Mounting Stick Ø: 2.5cm H: 7.2cm Microprismatic Diffuser
Color	Sandy Black / Code 25281






Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	200Lm
Cri	95
Dimensions	L: 6.5cm W: 4.5cm H: 13cm
Base	L: 3cm W: 4.5cm H: 11cm
Dimmable	○
Switch	Touch Dim
Material	Metal - Aluminium
Special Feature	Stick Ø: 2.8cm H: 13cm
Color	Sandy Black-Gold / Code 25282









Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	200Lm
Cri	95
Dimensions	Ø: 7.5cm L: 6.5cm H: 8.5cm
Base	Ø: 7.5cm L: 3cm
Dimmable	☉
Switch	Touch Dim
Material	Metal - Aluminium
Special Feature	Stick Ø: 2.8cm H: 8.5cm
Color	Sandy Black-Gold / Code 25283




Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	160Lm
Cri	90
Dimensions	L: 7.7cm W: 5.3cm H: 13cm
Base	L: 3cm W: 5.3cm H: 13cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	On/Off Push
Material	Metal - Aluminium
Special Feature	Stick Ø: 2.9cm H: 11cm
Color	Black Matt-Gold / Code 25182





Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	Ø: 8cm L: 40cm
Base	Ø: 8cm H: 3cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Stick Ø: 2.9cm L: 9.5cm
Color	Brushed Brass / Code H63





Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	160Lm
Cri	90
Dimensions	Ø: 8cm L: 20-46cm
Base	Ø: 8cm L: 3cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	On/Off Intergrated Switch on Head
Material	Metal - Aluminium
Special Feature	Stick Ø: 1.9cm H: 7.7cm
Color	Sandy Black / Code 25149
Color	Gold Matt / Code 25150





Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	Ø: 8cm L: 7-15cm H: 12cm
Base	Ø: 8cm H: 3cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Stick Ø: 3cm H: 12cm
Color	Black Matt / Code H48-B
Color	Gold / Code H48-G



Power	2.5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	140Lm
Cri	80
Dimensions	L: 12cm W: 8cm H: 20cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	On/Off Push
Material	Metal - Aluminium
Special Feature	USB Charger
Color	Black Matt-Brass / Code 23038




Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	L: 7cm-16cm W: 5.5cm H: 15cm
Base	L: 3cm W: 5.5cm H: 15cm
Non Dimmable	☒
Switch	On/Off Intergrated Switch on Head
Material	Metal - Aluminium
Special Feature	Microprismatic Diffuser Stick Ø: 2.8cm H: 10cm
Color	Brushed Brass / Code H68
Color	Black Matt / Code H68-B




Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	L: 4-12.5cm W: 7.8cm H: 18.3cm
Depth	4.5cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	On/Off
Material	Metal - Aluminium
Cutting Hole	15.8x5.7cm
Special Feature	Recessed Installation USB Charger Stick Ø: 2.8cm H: 11cm
Color	Black Matt / Code H65
Color	Brushed Brass / Code H67







LED 3W
 Bulb 1x E27
 Power MAX 40W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 200Lm
 Dimensions L: 13.5cm W: 18cm H: 30cm
 Shade L: 12cm W: 18cm H: 17cm
 Base L: 2.5cm W: 10cm H: 10cm
 Stick Ø: 3cm L: 11.5cm
 Non Dimmable
 Switch 2 On/Off
 Material Aluminium - Fabric Shade
 Color Brushed Brass-Beige Shade / **Code H73**




Bulb 1x G9 LED
 Power 5W MAX
 Input 220-240V, 50/60Hz
 Dimensions L: 12cm W: 10cm H: 30cm
 Base Ø: 8cm H: 2cm
 Material Metal - Opal Glass
 Special Feature Opal Glass Ø: 8cm
 Color Gold Matt / **Code H64**
 Black Matt / **Code H64-B**




Power	2.5W + 5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	141Lm + 178Lm
Cri	80
Dimensions	L: 9.7-16cm W: 9cm H: 63.5cm
Non Dimmable	☒
Switch	2 On/Off
Material	Metal - Aluminium - Acrylic
Special Feature	Movable Spot Rotatable Back Light (Ø: 1.9cm) Stick Ø: 2.7cm H: 11cm
Color	Black Matt / Code 23039
Color	White Matt / Code 23040






Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	140Lm
Cri	95
Dimensions	L: 6.3cm W: 7cm H: 8.5cm
Base	Ø: 7cm L: 2.8cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Microprismatic Diffuser Stick Ø: 2.5cm H: 7.3cm
Color	Sandy White / Code 25284






Power	3W + 5W + 5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm + 800Lm
Cri	80
Dimensions	L: 7-16cm W: 35cm H: 6.3cm
Non Dimmable	☒
Switch	2 On/Off
Material	Metal - Aluminium - Acrylic
Special Feature	Up/Down Light Stick Ø: 2.8cm H: 10cm
Color	Black Matt / Code H54
Color	White Matt / Code H52




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Dimensions L: 12.5-19cm W: 4cm H: 20cm
 Non Dimmable
 Switch On/Off
 Material Metal - Aluminium
 Special Feature USB Charger
 Color Black Matt / **Code H35**




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 204Lm
 Cri 80
 Dimensions L: 7-19cm W: 16.5cm H: 6.5cm
 Non Dimmable
 Switch On/Off
 Material Metal - Aluminium
 Special Feature USB Charger
 Stick Ø: 3cm L: 14cm
 Color Sandy White / **Code H74**
 Color Sandy Black / **Code H75**








Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	149Lm
Cri	90
Dimensions	Ø: 8cm L: 20-36cm
Base	Ø: 8cm L: 2.8cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Flex 26cm Stick Ø: 2.7cm L: 7cm
Color	Black Matt / Code 22049
Color	White Matt / Code 22050




Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	180Lm
Cri	80
Dimensions	L: 5.5-13.5cm W: 5cm H: 12cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Stick Ø: 1.6cm H: 9.5cm
Color	Black Matt / Code H80




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 255Lm
 Cri 80
 Dimensions Ø: 13cm L: 16.4cm H: 13.5cm
 Non Dimmable ☒
 Switch On/Off
 Material Metal - Aluminium
 Special Feature USB Charger
 Flex 19cm
 Stick Ø: 3cm H: 5cm
 Color White Matt / **Code H58**




Power 5.6W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 400Lm
 Cri 80
 Dimensions L: 15.5cm W: 20cm H: 12cm
 Base L: 2.5cm W: 20cm H: 6cm
 Non Dimmable ☒
 Switch On/Off
 Material Metal - Acrylic
 Color White Matt / **Code 20167**








Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Cri	80
Dimensions	W: 8cm H: 19cm
Depth	6.5cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	On/Off
Material	Metal - Aluminium
Cutting Hole	17x6cm
Special Feature	Recessed Installation Stick W: 4cm H: 14cm
Color	Black Matt / Code H43



Power	3W + 5W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm + 350Lm
Cri	80
Dimensions	L: 8-12cm W: 14cm H: 20cm
Non Dimmable	<input checked="" type="checkbox"/>
Switch	2 On/Off
Material	Metal - Aluminium
Special Feature	Back Light Stick Ø: 1.5cm H: 8cm
Color	Black Matt / Code H41




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 210Lm
 Cri 80
 Dimensions L: 36cm W: 4cm H: 12cm
 Depth 5cm
 Non Dimmable
 Switch On/Off
 Material Metal - Aluminium
 Cutting Hole 10.5x3.2cm
 Special Feature Recessed Installation
 Stick Ø: 2.5cm H: 6cm
 Color Black / **Code H69**




Power 3W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 160Lm
 Cri 90
 Dimensions Ø: 7cm L: 20-46cm
 Base Ø: 9.5cm L: 0.5cm
 Depth 5cm
 Non Dimmable
 Switch On/Off Intergrated Switch on Head
 Material Metal - Aluminium
 Cutting Hole Ø: 3.8cm
 Special Feature Recessed Installation
 Stick Ø: 1.9cm H: 7.7cm
 Color Sandy Black / **Code 25151**






Power	3W
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	200Lm
Cri	80
Dimensions	L: 20-33cm W: 4.5cm
Base	L: 4.5cm W: 4.5cm H: 11.5cm
Non Dimmable	☒
Switch	On/Off
Material	Metal - Aluminium
Special Feature	Flex 26cm Stick Ø: 3cm L: 11.5cm
Color	Sandy Black / Code H72







LED 3W
 Bulb 1x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Dimensions L: 25cm W: 17cm H: 28cm
 Base Ø: 12cm H: 2.5cm
 Non Dimmable
 Switch 2 On/Off
 Material Metal - Aluminium - Fabric Shade
 Special Feature Shade Ø: 17cm H: 14.5cm
 Stick Ø: 2.8cm L: 9cm
 Color Black Matt / **Code H57**



LED 3W
 Bulb 1x E27
 Power 40W MAX
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 240Lm
 Cri 80
 Dimensions L: 14.5-20cm W: 20cm H: 20cm
 Non Dimmable
 Switch 2 On/Off
 Material Metal - Aluminium - Fabric Shade
 Special Feature USB Charger
 Shade L: 12cm W: 20cm H: 11cm
 Stick Ø: 2.8cm H: 8.5cm
 Color Black Matt / **Code H59**







LED	3W
Bulb	1x E27
Power	40W MAX
Input	220-240V, 50/60Hz
Color Temperature	3000K
Lumen	240Lm
Dimensions	L: 25cm W: 15.5cm H: 28cm
Base	Ø: 12cm H: 2.5cm
Switch	2 On/Off
Material	Metal - Bush
Special Feature	Shade Ø: 15.5cm H: 15cm Stick Ø: 2.8cm L: 36cm
Color	Natural-Black Matt / Code 20355 



Beauty Starts With Lighting
A mirror that speaks truth because
great light reveals your best self.




07. MIRRORS



Touch Dimming Switch



60

Power	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	1034Lm, 1210Lm
Cri	80
Dimensions	Ø: 60cm L: 3.2cm
Dimmable	○
Material	Mirror - Aluminium Frame
Special Feature	Touch Dimming Switch Power-Off Memory Function IP44
Color	Mirrored-Black Matt / Code 25388



Power	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	1012Lm, 1210Lm
Cri	80
Dimensions	Ø: 60cm L: 4.7cm H: 92cm
Dimmable	☉
Material	Mirror - Aluminium Frame - Belt
Special Feature	Touch Dimming Switch Power-Off Memory Function IP44
Color	Mirrored-Black Matt / Code 25387






Touch Dimming Switch

60


Power	15W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	1034Lm, 1210Lm
Cri	80
Dimensions	Ø: 60cm L: 3.2cm
Dimmable	☉
Material	Mirror - Aluminium Frame
Special Feature	Touch Dimming Switch Power-Off Memory Function IP44
Color	Mirrored-Anodized Gold / Code 25389







Power	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	1564Lm, 1739Lm
Cri	80
Dimensions	L: 3.2cm W: 40cm H: 90cm
Dimmable	☉
Material	Mirror - Aluminium
Special Feature	Touch Dimming Switch Power-Off Memory Function Horizontal and Vertical Installation IP44
Color	Mirrored-Anodized Gold / Code 25386







Power	23W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	2085Lm, 2210Lm
Cri	80
Dimensions	L: 5.5cm W: 80cm H: 60cm
Dimmable	☉
Material	Mirror - Aluminium Frame
Special Feature	Touch Dimming Switch Power-Off Memory Function Horizontal and Vertical Installation IP44
Color	Mirrored-Anodized Gold / Code 25393







- Power 30W
- Input 220-240V, 50/60Hz
- Color Temperature 3000K, 4000K
- Lumen 2185Lm, 2390Lm
- Cri 80
- Dimensions L: 5.5cm W: 120cm H: 70cm
- Dimmable ☉
- Material Mirror - Aluminium Frame
- Special Feature Touch Dimming Switch
Power-Off Memory Function
Horizontal and Vertical Installation
IP44
- Color Mirrored-Anodized Gold / **Code 25394**






Power	23W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	2085Lm, 2210Lm
Cri	80
Dimensions	L: 5.5cm W: 80cm H: 60cm
Dimmable	☉
Material	Mirror - Aluminium Frame
Special Feature	Touch Dimming Switch Power-Off Memory Function Horizontal and Vertical Installation IP44
Color	Mirrored-Black Matt / Code 25392






Power	18W
Input	220-240V, 50/60Hz
Color Temperature	3000K, 4000K
Lumen	1585Lm, 1740Lm
Cri	80
Dimensions	L: 3cm W: 80cm H: 55cm
Dimmable	○
Material	Mirror - Aluminium
Special Feature	Touch Dimming Switch Frameless Power-Off Memory Function Horizontal and Vertical Installation Frosted Lighting Edge IP44
Color	Mirrored / Code 25385







Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K
 Lumen 870Lm, 944Lm
 Cri 80
 Dimensions Ø: 60cm L: 3cm
 Dimmable ☉
 Material Mirror - Aluminium
 Special Feature Touch Dimming Switch
 Antifog Touch Switch
 Back Light
 Frameless
 Power-Off Memory Function
 IP44
 Color Mirror Mirrored / **Code 25390**






Power 20W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K
 Lumen 985Lm, 1062Lm
 Cri 80
 Dimensions L: 3cm W: 60cm H: 80cm
 Dimmable ☉
 Material Mirror - Aluminium
 Special Feature Touch Dimming Switch
 Antifog Touch Switch
 Back Light
 Frameless
 Power-Off Memory Function
 Horizontal and Vertical Installation
 IP44
 Color Mirrored / **Code 25391**






Power 25W
Input 220-240V, 50/60Hz
Color Temperature 4000K
Lumen 1284Lm
Cri 80
Dimensions Ø: 60cm W: 3.5cm
Dimmable ☉
Material Mirror - Aluminium
Special Feature Touch Dimming Switch
Antifog Touch Switch
Back Light
Frameless
IP54

Color Mirrored / **Code 22067**



Power 36W
Input 220-240V, 50/60Hz
Color Temperature 4000K
Lumen 1763Lm
Cri 80
Dimensions Ø: 80cm W: 3.5cm
Dimmable ☉
Material Mirror - Aluminium
Special Feature Touch Dimming Switch
Antifog Touch Switch
Back Light
Frameless
IP54

Color Mirrored / **Code 22068**





Power	40W
Input	220-240V, 50/60Hz
Color Temperature	4000K
Lumen	1963Lm
Cri	80
Dimensions	L: 70cm W: 3.5cm H: 70cm
Dimmable	☉
Material	Mirror - Aluminium
Special Feature	Touch Dimming Switch Antifog Touch Switch Back Light Frameless IP54
Color	Mirrored / Code 22069



Moisture-Resistant Precision Lighting
Ideal light for your daily wellness rituals.




08. BATHROOM




Power 12W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K
 Lumen 1023Lm, 1078Lm
 Cri 90
 Dimensions L: 12.3cm W: 60cm H: 6.2cm
 Base L: 6cm W: 15cm H: 4cm
 Non Dimmable
 Material Metal - Aluminium - Glass
 Special Feature IP44
 Color Sandy White / **Code 25456**




Power 20W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K, 4000K
 Lumen 1580Lm, 1622Lm
 Cri 90
 Dimensions L: 12.3cm W: 90cm H: 6.2cm
 Base L: 6cm W: 15cm H: 4cm
 Non Dimmable
 Material Metal - Aluminium - Glass
 Special Feature IP44
 Color Sandy White / **Code 25457**







Power 10W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 610Lm
 Cri 81
 Dimensions L: 10cm W: 61cm H: 7.5cm
 Base Ø: 7.5cm L: 10cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Special Feature IP54
 Profile 2.5x2.2cm
 Color Sandy White / **Code 22124-W**
 Color Sandy Black / **Code 22124**




Power 17W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 810Lm
 Cri 81
 Dimensions L: 10cm W: 81cm H: 7.5cm
 Base Ø: 7.5cm L: 10cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Special Feature IP54
 Profile 2.5x2.2cm
 Color Sandy White / **Code 22125-W**
 Color Sandy Black / **Code 22125**




Power 21W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1100Lm
 Cri 81
 Dimensions L: 10cm W: 100cm H: 7.5cm
 Base Ø: 7.5cm L: 10cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Special Feature IP54
 Profile 2.5x2.2cm
 Color Sandy White / **Code 22126-W**
 Color Sandy Black / **Code 22126**




Power 9W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 720Lm
 Cri 80
 Dimensions L: 7.2cm W: 60cm H: 6.2cm
 Base Ø: 6.2cm L: 7.2cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Special Feature IP 44
 Profile 0.8x0.8cm
 Color Sandy Black / **Code 20145**




Power 13W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1040Lm
 Cri 80
 Dimensions L: 7.2cm W: 90cm H: 6.2cm
 Base Ø: 6.2cm L: 7.2cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Special Feature IP 44
 Profile 0.8x0.8cm
 Color Sandy Black / **Code 20146**







Power 16W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1280Lm
 Cri 80
 Dimensions L: 8cm W: 55cm H: 3.8cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Special Feature IP 44
 Color Black Matt / **Code 180041-B**





Power 16W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1280Lm
 Cri 80
 Dimensions L: 8cm W: 55cm H: 3.8cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Special Feature IP 44
 Color Chrome / **Code 180041**






Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1500Lm
 Cri 80
 Dimensions L: 9cm W: 60cm H: 6cm
 Base L: 3cm W: 19.5cm H: 4.5cm
 Non Dimmable ☒
 Material Aluminium - Acrylic
 Special Feature IP44
 Up/Down Light
 Profile 6x6cm
 Color Black Matt / **Code 22088**








Bulb 1x G9 LED
 Power 7W MAX
 Input 220-240V, 50/60Hz
 Dimensions L: 16.7cm W: 16cm H: 16.7cm
 Base L: 8cm W: 3cm H: 8cm
 Material Aluminium - Opal Glass
 Special Feature IP 44
 Color Brushed Brass / **Code 20149**





Power 16W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1280Lm
 Cri 80
 Dimensions L: 60cm W: 6cm H: 6cm
 Non Dimmable ☒
 Material Metal - Aluminium - Acrylic
 Special Feature IP 44
 Color Chrome / **Code 20150**



Power 7W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 760Lm
 Cri 80
 Dimensions L: 9.3cm W: 6.3cm H: 31cm
 Base L: 3cm W: 6cm H: 15.5cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature IP44
 Color Chrome / **Code 22087**



Power 15W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 1500Lm
 Cri 80
 Dimensions L: 9.5cm W: 60cm H: 6.3cm
 Base L: 3cm W: 19.5cm H: 4.5cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature IP44
 Color Chrome / **Code 22085**



Power 21W
 Input 220-240V, 50/60Hz
 Color Temperature 3000K
 Lumen 2200Lm
 Cri 80
 Dimensions L: 9.5cm W: 90cm H: 6.3cm
 Base L: 3cm W: 19.5cm H: 4.5cm
 Non Dimmable
 Material Metal - Aluminium - Acrylic
 Special Feature IP44
 Color Chrome / **Code 22086**

16155	144
17129	266
180020	150
180021	150
180022	151
180023	151
180025	159
180026	158
180027	158
180028	159
180041	390
180041-B	390
18181	264
1910	127
1935	108
1936	108
1945	124
19103	254
19104	250
19105	250
19106	252
19107	252
19108	254
19109	254
19117	126
19136-B	298
19137	296
19139	288
19140	294
19141	294
19142	292
19143	292
19143-B	292
19144	302
19218	128
19250	248
19251	248
19252	248
19253	248
2003	134
2004	134
2020	73
2021	73
2022	73
2023	75
2024	75
2025	75
2026	77
2027	77
2028	77
2029	78
2030	78
2031	78
2040	44
2041	44
2042	44
2048	44
2049	44

2050	44
2056	44
2057	44
2058	44
2064	66
2065	66
2075	64
2076	64
2077	64
20109	174
20114	118
20115	118
20116	118
20117	118
20118	202
20123	202
20134	196
20135	196
20136	130
20137	130
20145	388
20146	388
20149	394
20150	395
20154	256
20167	342
20210	183
20211	183
20216	206
20217	206
20218	145
20219	145
20220	210
20222	210
20235	209
20236	257
20237	228
20250	213
20251	212
20252	184
20253	187
20256	304
20257	276
20258	282
20259	300
20271	146
20272	146
20349	136
20350	136
20354	258
20355	352
22020	70
22030	200
22032	200
22047	91
22048	91
22049	340
22050	340

22053	193
22054	129
22061	132
22065	205
22067	377
22068	377
22069	379
22085	397
22086	397
22087	396
22088	392
22124	384
22124-W	386
22125	384
22125-W	386
22126	384
22126-W	386
22127	60
22128	60
22136	194
22166	238
22167	238
22168	238
22172	236
22173	242
22174	243
22175	243
22203	142
22204	142
22205	142
23001	284
23002	290
23003	280
23004	280
23005	280
23006	168
23007	168
23016	139
23024	48
23025	46
23026	48
23027	46
23036	198
23037	198
23038	325
23039	332
23040	332
23041	138
23042	68
23054	170
23055	170
23060	190
23061	190
23063	189
23064	189
23070	262
23071	261
23085	173

23086	43
23087	43
23088	43
23089	43
23090	43
23091	43
23092	39
23093	39
23096	51
23097	51
23098	51
23099	51
23102	107
23103	107
23104	110
23105	110
23106	104
23107	104
23137	133
23195	224
23196	230
23197	220
23205	37
23206	37
23207	37
23208	37
23209	37
23210	37
23211	37
23212	37
23213	37
23257	52
23258	52
23259	52
23260	52
2561	16
2562	16
2563	18
2564	16
2565	16
2566	18
2571	59
2572	59
2577	87
2578	87
2579	87
2580	87
2582	122
2584	122
2589	163
2590	163
2593	165
2594	165
25143	89
25144	89
25147	120
25148	113
25149	322

25150	322
25151	347
25152	102
25160	22
25161	22
25163	22
25164	24
25165	24
25167	24
25182	320
25183	309
25184	309
25185	26
25186	26
25187	26
25188	28
25189	28
25190	28
25193	180
25194	179
25197	30
25198	30
25199	30
25200	30
25201	32
25202	32
25217	94
25218	94
25219	94
25266	100
25267	100
25268	57
25269	57
25278	54
25279	54
25281	314
25282	316
25283	319
25284	334
25303	312
25317	115
25318	115
25319	98
25320	98
25321	116
25322	116
25326	310
25328	287
25329	278
25332	246
25333	246
25334	218
25342	140
25343	140
25344	176
25345	176
25376	63
25377	63

25379	157
25380	154
25381	152
25382	156
25383	148
25384	148
25385	370
25386	362
25387	358
25388	360
25389	357
25390	372
25391	374
25392	368
25393	364
25394	366
25395	272
25396	272
25397	273
25398	273
25408	97
25409	97
25410	20
25411	20
25414	83
25427	166
25428	166
25429	226
25440	226
25441	235
25442	233
25443	223
25454	247
25455	247
25456	382
25457	382
H35	338
H41	345
H43	344
H48-B	324
H48-G	324
H52	337
H54	337
H57	350
H58	342
H59	350
H63	321
H64	331
H64-B	331
H65	328
H67	328
H68	327
H69	346
H72	348
H73	330
H74	339
H75	339
H80	341